FOR OFFICIAL USE ONLY

DECK LOG–TITLE PAGE
NAVPERS 716 (Rev. 4-56)

DECK
LOG BOOK

OF THE

U.S.S. ABILITY

MSO-519
IDENTIFICATION NUMBER

COMMANDED BY

L. L. HAWKINS, LCDR, , U. S. N.

Attached to { Mine Division EIGHTY-FIVE Division,
Mine Squadron EIGHT Squadron,
Flotilla,
U. S. Atlantic Fleet Fleet,
Sixth Naval District Naval District,

Commencing 0000R, 1 November (zone time and date), 1961,

at Charleston, South Carolina (location),

and ending 2400R, 30 November (zone time and date), 1961,

at Charleston, South Carolina (location)

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63074

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE WED (Day) 1 (Date) NOV (Month), 19 61

AT/~~PASSAGE FROM~~ CHARLESTON, SOUTH CAROLINA ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	230	3	8	CLR	29.96	70	67	0	0	0	0	0	0
02	230	4	8	CLR	29.95	69	66	0	0	0	0	0	0
03	230	4	8	CLR	29.93	68	65	0	0	0	0	0	0
04	230	4	8	CLR	29.91	70	67	0	0	0	0	0	0
05	230	3	8	CLR	29.91	69	65	0	0	0	0	0	0
06	230	3	9	CLR	29.91	69	65	0	0	0	0	0	0
07	230	3	9	CLR	29.93	69	65	0	0	0	0	0	0
08	230	3	10	CLR	29.94	73	67	0	0	0	0	0	0
09	210	2	10	CLR	29.93	75	69	0	0	0	0	0	0
10	200	2	10	CLR	29.93	77	69	0	0	0	0	0	0
11	0	0	10	CLR	29.92	81	70	0	0	0	0	0	0
12	090	2	10	CLR	29.90	84	73	0	0	0	0	0	0
13	090	4	12	CLR	29.87	86	76	0	0	0	0	0	0
14	100	4	12	SCT	29.85	86	76	2	1600	CU	0	0	0
15	190	4	12	SCT	29.85	83	76	3	1600	CU	0	0	0
16	260	2	12	SCT	29.84	83	75	3	1600	CU	0	0	0
17	~~1350~~ 1350	2	12	SCT	29.85	80	73	2	1600	CU	0	0	0
18	0	0	12	SCT	29.87	78	73	2	1600	CU/SC	0	0	0
19	0	0	10	CLR	29.89	76	71	0	0	0	0	0	0
20	0	0	9	CLR	29.90	75	70	0	0	0	0	0	0
21	0	0	9	CLR	29.92	73	70	0	0	0	0	0	0
22	0	0	9	CLR	29.94	72	69	0	0	0	0	0	0
23	0	0	9	CLR	29.94	70	68	0	0	0	0	0	0
24	0	0	8	CLR	29.94	70	67	0	0	0	0	0	0

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 0

FUEL CONSUMED 0000–2400: 0

REMARKS

00–04 MOORED PORT SIDE TO PIER SIERRA BERTH THREE AT U.S. NAVAL BASE, CHARLESTON, SOUTH CAROLINA WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORE AND AFT. SOPA IS COMINLANT AT U.S. NAVAL BASE, SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS IV WITH MATERIAL CONDITION YOKE SET.

R R Miller
ENS. USNR

04–08 MOORED AS BEFORE. 0750 MUSTERED THE CREW ON STATION. ABSENTEES: NONE.

R R Miller
ENS. USNR

APPROVED: L L Hawkins U.S.N. COMMANDING

EXAMINED: L D Frizzi, LT. U.S.N. NAVIGATOR

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) WED (Day) 1 (Date) NOV (Month), 19 61

0800-1200 MOORED AS BEFORE 0815 MADE DAILY INSPECTION OF MAGAZINE AND SMOKELESS POWDER SAMPLES, CONDITION NORMAL

W H Trudell Ens USNR.

1200-1600 MOORED AS BEFORE.

W H Trudell Ens USNR

1600-2000 MOORED AS BEFORE

W H Trudell Ens USNR.

2000-2400 MOORED AS BEFORE

W H Trudell Ens USNR

APPROVED: L L Hawkins U.S.N. COMMANDING

EXAMINED: W T Ramsey Jr, LT. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5 DATE THURSDAY (Day) 2 (Date) NOV (Month), 19 61

AT/PASSAGE FROM CHARLESTON S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	0	0	9	CIR	2994	67	66	0	0	0	0	0	0
02	0	0	9	CIR	2995	68	66	0	0	0	0	0	0
03	0	0	9	CIR	2997	68	66	0	0	0	0	0	0
04	0	0	9	CIR	2998	67	65	0	0	0	0	0	0
05	0	0	9	CIR	2996	68	64	0	0	0	0	0	0
06	0	0	9	CIR	3003	67	65	0	0	0	0	0	0
07	0	0	9	CIR	3004	69	68	0	0	0	0	0	0
08	0	0	10	CIR	3006	67	68	0	0	0	0	0	0
09	0	0	10	CIR	3010	71	68	0	0	0	0	0	0
10	110	5	10	CIR	3012	79	71	0	0	0	0	0	0
11	110	8	10	CIR	3012	79	72	0	0	0	0	0	0
12	110	7	9	CIR	3012	80	74	0	0	0	0	0	0
13	140	2	8	SCT	3011	80	74	6	1600	CU	0	0	0
14	145	10	8	SCT	3012	81	75	6	1600	CU	0	0	0
15	150	10	8	SCT	3011	80	74	5	1600	CU	0	0	0
16	150	9	10	SCT	3012	80	74	5	1600	CU	0	0	0
17	150	9	10	SCT	3012	80	74	6	1600	CU	0	0	0
18	150	9	10	SCT	3014	80	74	6	1600	CU	0	0	0
19	150	9	10	SCT	3015	79	74	6	1600	CU	0	0	0
20	150	8	FOG	FOG	3017	77	73	10	0	0	0	0	0
21	150	8	FOG	FOG	3017	74	71	10	0	0	0	0	0
22	0	0	FOG	FOG	3019	73	71	10	0	0	0	0	0
23	0	0	FOG	FOG	3021	73	71	10	0	0	0	0	0
24	0	0	FOG	FOG	3020	72	70	10	0	0	0	0	0
	0	0											

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 50

REMARKS

0000-0400 MOORED PORT SIDE TO PIER SERRA BERTH THREE U.S. NAVAL BASE, CHARLESTON, S.C. WITH STANDARD MOORING LINES DOUBLED. SHIP IS IN CONDITION OF READINESS IV WITH MATERIAL CONDITION YOKE SET. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SOPA IS COMINCENT AT US NAVAL BASE. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US ATLANTIC FLEET PLUS MISCELLANEOUS YIPD AND DISTRICT CRAFT

W. G. Driskell Ens USNR

0400-0800 MOORED AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS. ABSENTEES, NONE.

W. G. Driskell Ens USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: [signature] U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) THURSDAY (Day) 2 (Date) NOV (Month) 19 61

08-12. MOORED AS BEFORE. 0820 MADE DAILY INSPECTION OF MAGAZINE AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL.

D. L. Kelahan
ENS USNR

12-16. MOORED AS BEFORE.

D. L. Kelahan
ENS USNR

16-20. MOORED AS BEFORE.

D. L. Kelahan
ENS USNR

20-24. MOORED AS BEFORE.

D. L. Kelahan
ENS USNR

APPROVED: L D Hawkins U.S.N. COMMANDING

EXAMINED: W D Ring Jr, LT. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5 DATE FRIDAY (Day) 3 (Date) NOV (Month), 19 61

AT/~~PASSAGE~~ FROM CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	0	0	5	CLR	3020	70	66	0	0	0	0	0	0
02	0	0	1	F	3020	70	67	0	0	0	0	0	0
03	0	0	5	F	3020	69	67	0	0	0	0	0	0
04	0	0	4	F	3020	69	67	0	0	0	0	0	0
05	0	0	4	F	3021	69	67	0	0	0	0	0	0
06	0	0	2	F	3021	69	69	0	0	0	0	0	0
07	0	0	5	F	3022	72	71	0	0	0	0	0	0
08	146	2	8	CLR	3023	75	71	0	0	0	0	0	0
09	146	3	9	CLR	3023	80	75	0	0	0	0	0	0
10	146	5	8	CLR	3025	80	74	0	0	0	0	0	0
11	146	5	8	BKN	3023	80	75	7	1600	0	0	0	0
12	146	5	8	BKN	3024	80	74	7	1600	0	0	0	0
13	146	5	8	BKN	3022	80	74	7	1600	0	0	0	0
14	146	5	8	BKN	3021	80	74	7	1600	0	0	0	0
15	146	5	8	BKN	3021	80	74	7	1600	0	0	0	0
16	146	5	9	BKN	3021	79	72	6	1600	0	0	0	0
17	146	4	9	BKN	3022	78	72	6	1600	0	0	0	0
18	145	4	9	CLR	3022	78	72	0	0	0	0	0	0
19	146	4	9	CLR	3022	78	72	0	0	0	0	0	0
20	146	4	9	CLR	3024	75	70	0	0	0	0	0	0
21	200	1	9	CLR	3024	75	70	0	0	0	0	0	0
22	236	3	9	CLR	3024	75	70	0	0	0	0	0	0
23	236	3	9	CLR	3024	75	70	0	0	0	0	0	0
24	0	0	9	CLR	3022	75	70	0	0	0	0	0	0
												0	0

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 100

REMARKS

00-04. MOORED PORT SIDE TO PIER SIERRA BERTH THREE U.S. NAVAL BASE, CHARLESTON, S.C., WITH STANDARD MOORING LINES DOUBLED. SHIP IS IN CONDITION OF READINESS V WITH MATERIAL CONDITION YOKE SET. RECEIVING MISCELLANEOUS SERVICES FROM PIER. USS SALUTE (MSO 470) IS MOORED OUTBOARD TO STARBOARD. OTHER SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS VARIOUS YARD AND DISTRICT CRAFT. SOPA IS COMINLANT U.S. NAVAL BASE, CHARLESTON, S.C. MISCELLANEOUS MACHINERY IS ON THE LINE.

D. L. Koleber
ENS USNR

04-08. MOORED AS BEFORE. 0750 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

D. L. Koleber
ENS USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: [signature] Lt. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) FRIDAY (Day) 3 (Date) NOV (Month), 19 61

0800-1200. MOORED AS BEFORE. 0930 MADE DAILY INSPECTION OF MAGAZINE AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL. MADE WEEKLY TEST OF MAGAZINE SPRINKLING AND FLOODING SYSTEM; CONDITIONS SATISFACTORY.

R R Miller
ENS. USNR

1200-1600. MOORED AS BEFORE.

R R Miller
ENS. USNR

1600-2000. MOORED AS BEFORE.

R R Miller
ENS. USNR

2000-2400. MOORED AS BEFORE.

R R Miller
ENS. USNR

APPROVED: L L Hawkins U.S.N. COMMANDING

EXAMINED: [signature], CDR. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE SAT (Day) 4 (Date) NOV (Month), 19 61

AT/~~PASSAGE~~ FROM CHARLESTON, SOUTH CAROLINA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	0	0	9	CLR	30.24	74	71	0	0	0	0	0	0
02	0	0	9	CLR	30.24	73	71	0	0	0	0	0	0
03	0	0	9	CLR	30.24	72	70	0	0	0	0	0	0
04	0	0	9	CLR	30.24	70	68	0	0	0	0	0	0
05	0	0	10	CLR	30.25	70	68	0	0	0	0	0	0
06	0	0	10	CLR	30.25	70	68	0	0	0	0	0	0
07	0	0	10	CLR	30.26	70	64	0	0	0	0	0	0
08	6	0	10	CLR	30.29	74	70	0	0	0	0	0	0
09	0	0	10	SCT	30.31	78	72	3	1600	cu	0	0	0
10	0	0	10	SCT	30.32	78	73	6	1600	cu	0	0	0
11	0	0	10	SCT	30.31	79	71	4	1600	cu/cl	0	0	0
12	170	4	10	SCT	30.30	80	72	3	1600	cu/cl	0	0	0
13	160 ~~160~~	4	10	SCT	30.30	81	71	3	1600	cu/cl	0	0	0
14	160	4	10	SCT	30.28	81	71	3	1600	cu/AC	0	0	0
15	165	4	10	SCT	30.25	80	71	3	1600	cu/AC	0	0	0
16	165	2	10	SCT	30.27	79	71	3	1600	cu/AC	0	0	0
17	165	6	10	SCT	30.29	78	71	3	1600	cu/AC	0	0	0
18	160	4	10	SCT	30.33	77	71	2	1600	cu/cl	0	0	0
19	160	2	10	SCT	30.36	77	71	2	1600	cu/cl	0	0	0
20	170	2	10	SCT	30.31	76	71	2	1600	cu/cl	0	0	0
21	170	4	10	SCT	30.27	74	70	3	1600	cu/cl	0	0	0
22	170	4	10	SCT	30.27	75	70	3	1600	cu	0	0	0
23	170	4	10	SCT	30.27	75	72	2	1600	cu	0	0	0
24	170	3	10	SCT	30.27	74	70	2	1600	cu	0	0	0

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 100

REMARKS

00-04. MOORED PORT SIDE TO PIER SIERRA BERTH THREE AT U.S. NAVAL BASE, CHARLESTON, SOUTH CAROLINA, WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORE AND AFT. USS SALUTE (MSO-470) IS MOORED OUTBOARD TO STARBOARD. SOPA IS COMINLANT AT U.S. NAVAL BASE. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS V WITH MATERIAL CONDITION YOKE SET.

R R Miller
ENS. USNR

04-08. MOORED AS BEFORE. 0750 MOSTERED THE CREW ON STATION. ABSENTEES: NONE.

R R Miller
ENS. USNR

APPROVED: L L Hawkins U.S.N. COMMANDING

EXAMINED: L D Stringer, LT. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) SAT (Day) 4 (Date) NOV (Month), 19 61

08-12 MOORED AS BEFORE. 1/2 MADE DAILY INSPECTION OF MAGAZINE AND SMOKELESS POWDER SAMPLES, CONDITION NORMAL

W H Trudell Ens USNR

12-16 MOORED AS BEFORE

W H Trudell Ens USNR

16-20 MOORED AS BEFORE

W H Trudell Ens USNR

20-24 MOORED AS BEFORE

W H Trudell Ens USNR

APPROVED: J. D. Hawkins U.S.N. COMMANDING

EXAMINED: D. D. Quigley, LT. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION 75 DATE ~~SATURDAY~~ SUNDAY 5 4 NOV (Day) (Date) (Month) , 19 61

AT/PASSAGE FROM CHARLESTON SC TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	170	5	9	SCT	3025	75	71	5	1600	CU	0	0	0
02	160	2	9	SCT	3025	75	70	5	1600	CU	0	0	0
03	170	2	9	SCT	3025	74	70	3	1600	CU	0	0	0
04	0	0	10	CIR	3025	73	70	0	0	0	0	0	0
05	0	0	10	CIR	3024	72	69	0	0	0	0	0	0
06	0	0	10	CIR	3024	71	69	0	0	0	0	0	0
07	0	0	10	CIR	3023	70	68	0	0	0	0	0	0
08	160	3	10	CIR	3024	71	67	0	0	0	0	0	0
09	150	4	10	CIR	3025	77	72	0	0	0	0	0	0
10	165	5	10	SCT	3026	79	72	6	1800	SC	0	0	0
11	185	5	10	SCT	3027	81	72	4	1800	SC	0	0	0
12	165	6	10	SCT	3028	82	73	4	1600	CU	0	0	0
13	155	6	10	SCT	3026	82	73	4	1600	CU	0	0	0
14	190	4	10	BKN	3023	82	73	6	1600	CU	0	0	0
15	190	4	10	BKN	3026	84	73	7	1600	CU	0	0	0
16	190	4	10	BKN	3023	78	72	7	1600	CU	0	0	0
17	190	3	10	BKN	3020	76	71	6	1600	CU	0	0	0
18	185	4	10	BKN	3020	75	70	6	1600	CU	0	0	0
19	190	5	10	CIR	3020	70	68	0	0	0	0	0	0
20	0	0	10	CIR	3020	73	70	0	0	0	0	0	0
21	0	0	10	CIR	3020	74	71	0	0	0	0	0	0
22	0	0	10	CIR	3022	74	71	0	0	0	0	0	0
23	0	0	10	CIR	3024	72	71	0	0	0	0	0	0
24	0	0	10	CIR	3021	70	69	0	0	0	0	0	0

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 0

FUEL CONSUMED 0000–2400: 100

REMARKS

B4-14 MOORED PORT SIDE TO PIER SIERRA, BERTH THREE AT US NAVAL BASE, CHARLESTON, S.C. WITH STARBOARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORE AND AFT TO THE PIER. SOPA IS COMINCHANT AT US NAVAL BASE. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS II WITH MATERIAL CONDITION YOKE SET.

W.B. Friedl Ens USNR

B4-08 MOORED AS BEFORE. 0755 MUSTERED THE CREW ON STATION, ABSENTEES NONE.

W.B. Friedl Ens USNR

APPROVED: L. Hawkins U.S.N. COMMANDING

EXAMINED: L.D. Griffin, LT. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) SUNDAY (Day) 5 (Date) NOV (Month), 19 61

#8-12 MOORED AS BEFORE 1115 MADE DAILY INSPECTION OF MAGAZINE AND SMOKELESS POWDER SAMPLES CONDITION NORMAL

W H Bruell Ens USNR.

13-16 MOORED AS BEFORE

W H Bruell Ens USNR

16-20 MOORED AS BEFORE

W H Bruell Ens USNR

21-24 MOORED AS BEFORE

W H Bruell Ens USNR.

APPROVED: D Hawkins U.S.N. COMMANDING

EXAMINED: W T Griffin, LT U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS BILITY (MSO 515) ZONE DESCRIPTION +5 DATE MONDAY 6 NOV (Day) (Date) (Month), 19 61

AT/PASSAGE FROM CHARLESTON S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	0	0	10	CLR	30.19	68	65	0	0	0	0	0	0
02	0	0	10	CLR	30.15	68	64	0	0	0	0	0	0
03	0	0	10	CLR	30.14	68	65	0	0	0	0	0	0
04	0	0	10	CLR	30.16	68	64	0	0	0	0	0	0
05	0	0	10	CLR	30.16	68	64	0	0	0	0	0	0
06	190	2	10	CLR	30.16	67	64	0	0	0	0	0	0
07	190	2	10	SCT	30.18	67	66	4	1600	CU	0	0	0
08	170	2	9	SCT	30.20	71	69	6	1600	CU/CI	0	0	0
09	090	4	7	BKN	30.21	75	70	9	1600	CU/AC	0	0	0
10	090	4	8	BKN	30.21	75	71	9	1600	CU/AC	0	0	0
11	060	6	8	BKN	30.20	74	71	9	1600	CU/AC	0	0	0
12	060	4	6	BKN	30.17	74	71	9	1600	NS/AC	0	0	0
13	050	5	8	BKN	30.15	80	72	9	1600	NS/AC	0	0	0
14	050	6	9	BKN	30.13	80	72	8	1600	NS/AC	0	0	0
15	040	4	9	BKN	30.13	75	70	9	1600	CU/AC	0	0	0
16	030	4	9	BKN	30.14	79	70	8	1600	CU/AC	0	0	0
17	030	3	8	SCT	30.13	77	70	6	1600	CU	0	0	0
18	035	2	8	SCT	30.14	76	69	2	1600	CU	0	0	0
19	035	3	8	CLR	30.14	76	69	0	0	0	0	0	0
20	035	2	8	CLR	30.15	70	67	0	0	0	0	0	0
21	035	2	8	CLR	30.12	70	65	0	0	0	0	0	0
22	035	2	8	CLR	30.12	69	64	0	0	0	0	0	0
23	035	2	8	CLR	30.12	69	64	0	0	0	0	0	0
24	035	2	8	CLR	30.12	69	64	0	0	0	0	0	0

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: -0-

FUEL CONSUMED 0000-2400: 200 -

REMARKS

0/0-04 MOORED PORT SIDE TO PIER SIERRA, BERTH THREE AT US NAVAL BASE, CHARLESTON, S.C. WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORE AND AFT TO THE PIER. SOPA IS COMINLANT AT US NAVAL BASE. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS IN CONDITION OF READINESS I WITH MATERIAL CONDITION YOKE SET.

W.B. Judd Ens. USNR.

04-08 MOORED AS BEFORE. 0750 MUSTERED THE CREW AT QUARTERS, ABSENTEES NONE.

W.B. Judd Ens USNR

APPROVED: L.D. Hawkins U.S.N. COMMANDING

EXAMINED: L.D. Hawkins, LT. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) MONDAY (Day) 6 (Date) NOV (Month), 19 61

0800-1200. MOORED AS BEFORE. 0945 MADE DAILY INSPECTION OF MAGAZINE AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL.

D. L. Kelahan
ENS USNR

1200-1600. MOORED AS BEFORE.

D. L. Kelahan
ENS USNR

1600-2000. MOORED AS BEFORE.

D. L. Kelahan
ENS USNR

2000-2400. MOORED AS BEFORE.

D. L. Kelahan
ENS USNR

APPROVED: L. L. Hawkins U.S.N. COMMANDING

EXAMINED: W. T. Griffin, Lt. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

DLK

USS ABILTY MSO 519 ZONE DESCRIPTION +5 DATE TUESDAY (Day) 07 (Date) NOVEMBER (Month), 19 61

AT/PASSAGE FROM CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	035	1	8	CLR	30 11	68	64	0	0	0	0	0	0
02	035	1	8	CLR	30 11	68	64	0	0	0	0	0	0
03	035	1	8	OVC	30 11	68	64	0	0	0	0	0	0
04	035	1	8	OVC	3009	69	66	0	0	0	0	0	0
05	035	1	8	R	3008	68	66	0	0	0	0	0	0
06	035	1	6	R	3009	69	66	0	0	0	0	0	0
07	035	1	6	OVC	3008	69	66	0	0	0	0	0	0
08	010	4	7	OVC	3008	69	67	9	H000	AC	0	0	0
09	005	6	8	OVC	3009	69	67	9	H500	AC	0	0	0
10	030	7	8	OVC	3009	70	67	9	H500	ST	0	0	0
11	020	7	8	OVC	3010	71	67	9	H500	ST	0	0	0
12	020	8	8	OVC	3009	71	67	8	H500	ST	0	0	0
13	150	5	8	BKN	3008	72	68	9	H500	AC	0	0	0
14	0	0	8	SCT	3004	75	73	5	H500	AC	0	0	0
15	0	0	8	SCT	3004	76	74	4	H500	AC	0	0	0
16	0	0	8	SCT	3003	76	74	5	H500	AC	0	0	0
17	010	4	8	SCT	3004	75	70	5	H500	AC	0	0	0
18	010	3	8	CLR	3005	75	70	0	0	0	0	0	0
19	0	0	8	CLR	3005	74	69	0	0	0	0	0	0
20	190	3	9	CLR	3006	73	69	0	0	0	0	0	0
21	190	3	8	CLR	3005	71	68	0	0	0	0	0	0
22	190	3	8	CLR	3003	70	66	0	0	0	0	0	0
23	190	3	8	CLR	3003	69	66	0	0	0	0	0	0
24	135	5	5	CLR	3001	66	65	0	0	0	0	0	0

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 0

FUEL CONSUMED 0000–2400: 100

REMARKS

00-04. MOORED PORT SIDE TO PIER SIERRA BERTH THREE AT U.S. NAVAL BASE, CHARLESTON, S.C., WITH STANDARD MOORING LINES DOUBLED. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. MISCELLANEOUS MACHINERY ON LINE. USS SALUTE MSO 470 IS MOORED OUTBOARD TO STARBOARD. OTHER SHIPS PRESENT INCLUDE MISCELLANEOUS UNITS OF U.S. ATLANTIC FLEET PLUS VARIOUS YARD AND DISTRICT CRAFT. SHIP IS IN CONDITION OF READINESS V WITH MATERIAL CONDITION YOKE SET. SOPA IS COMINLANT AT NAVAL BASE.

D. L. Keleher
ENS USNR

04-08. MOORED AS BEFORE. 0750 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE. D. L. Keleher
ENS USNR

APPROVED: L. A. Hawkins U.S.N. COMMANDING

EXAMINED: U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 517) TUESDAY 7 NOVEMBER 19 51
(Day) (Date) (Month)

0800 MOORED AS BEFORE, 1127 MADE DAILY INSPECTION OF MAGAZINE AND SMOKELESS POWDER SAMPLES, CONDITION NORMAL

W H Trull Ens USNR.

1200 MOORED AS BEFORE

W H Trull Ens USNR.

1600 MOORED AS BEFORE

W H Trull Ens USNR.

2000 MOORED AS BEFORE.

W H Trull Ens USNR.

APPROVED: W H Hawkins U.S.N. COMMANDING

EXAMINED: L D Griggs, LT. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ARLITY (MSO519) ZONE DESCRIPTION +5 DATE WED (Day) 8 (Date) NOV (Month), 19 61

AT/PASSAGE FROM CHARLESTON S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	135	1	1	F	3002	65	63	10	0	0	0	0	0
02	135	1	1	F	3000	65	63	10	0	0	0	0	0
03	0	0	3	F	2999	65	63	10	0	0	0	0	0
04	0	0	3	F	2998	67	65	10	0	0	0	0	0
05	0	0	3	F	2998	68	66	10	0	0	0	0	0
06	0	0	3	F	2998	68	66	10	0	0	0	0	0
07	0	0	5/8 YDS	F	2998	67	65	10	0	0	0	0	0
08	0	0	5/8 YDS	F	2999	67	65	10	0	0	0	0	0
09	0	0	1	F	3000	67	65	10	0	0	0	0	0
10	0	0	1	F	2998	70	68	10	1600	CU/NS	0	0	0
11	300	5	8	SCT	2996	73	70	5	1600	CU/NS	0	0	0
12	300	10	9	SCT	2993	73	70	5	1600	CU/NS	0	0	0
13	300	4	9	SCT	2992	70	68	4	1600	CU/NS	0	0	0
14	300	15	8	SCT	2991	70	68	3	1600	CU/NS	0	0	0
15	300	12	8	SCT	2992	63	60	4	1600	CU/NS	0	0	0
16	300	10	8	SCT	2994	63	60	2	1600	CU	0	0	0
17	300	10	8	CIR	2996	62	59	0	0	0	0	0	0
18	300	10	8	CIR	2998	61	59	0	0	0	0	0	0
19	300	10	8	CIR	3000	60	59	0	0	0	0	0	0
20	300	10	8	CIR	3002	51	49	0	0	0	0	0	0
21	300	8	8	CIR	3004	55	53	0	0	0	0	0	0
22	300	7	8	CIR	3006	55	53	0	0	0	0	0	0
23	300	9	8	CIR	3008	54	52	0	0	0	0	0	0
24	300	9	8	CIR	3009	52	51	0	0	0	0	0	0

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 50

REMARKS

0400 - 0800 MOORED PORT SIDE TO PIER SIERRA, BERTH THREE AT US NAVAL BASE, CHARLESTON S.C. WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORE AND AFT TO THE PIER. SOPA IS COMDESFLOT 6 AT US NAVAL BASE. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS IV WITH MATERIAL CONDITION YOKE SET

W.B. Powell Ens USNR.

0400-0800 MOORED AS BEFORE. 0750 MUSTERED THE CREW AT QUARTERS, ABSENTEES, NONE

W.B. Powell Ens. USNR

APPROVED: D. Hawkins U.S.N. COMMANDING

EXAMINED: W.D. Griggs, LT. U.S.N. NAVIGATOR

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) WED (Day) 8 (Date) NOV (Month), 19 61

08-12. MOORED AS BEFORE. 1005 MADE DAILY INSPECTION OF MAGAZINE AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL.

D. L. Kelehan.
ENS USNR

12-16. MOORED AS BEFORE.

D. L. Kelehan
ENS USNR

16-20. MOORED AS BEFORE.

D. L. Kelehan
ENS USNR

20-24. MOORED AS BEFORE.

D. L. Kelehan
ENS USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: _____ U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5 DATE THURSDAY (Day) 9 (Date) NOV (Month), 19 61

AT/PASSAGE FROM CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	300	14	9	CLR	30.10	50	46	0	0	0	0	0	0
02	300	12	9	CLR	30.11	49	46	0	0	0	0	0	0
03	310	10	9	CLR	30.12	46	43	0	0	0	0	0	0
04	310	10	9	3 CLR	30.14	45	39	0	0	0	0	0	0
05	310	12	9	CLR	30.16	44	39	0	0	0	0	0	0
06	310	10	9	CLR	30.17	44	39	0	0	0	0	0	0
07	310	10	9	CLR	30.17	43	40	0	0	0	0	0	0
08	310	10	10	CLR	30.18	43	40	0	0	0	0	0	0
09	316	8	10	CLR	30.19	48	40	0	0	0	0	0	0
10	316	8	10	CLR	30.19	49	43	0	0	0	0	0	0
11	310	8	10	CLR	30.19	62	49	0	0	0	0	0	0
12	310	4	10	CLR	30.19	69	52	0	0	0	0	0	0
13	300	4	10	CLR	30.19	69	55	0	0	0	0	0	0
14	300	2	10	CLR	30.16	72	52	0	0	0	0	0	0
15	300	2	10	CLR	30.14	69	52	0	0	0	0	0	0
16	0	0	10	CLR	30.11	68	52	0	0	0	0	0	0
17	0	0	9	CLR	30.09	67	55	0	0	0	0	0	0
18	0	0	9	CLR	30.10	67	54	0	0	0	0	0	0
19	0	0	9	CLR	30.08	67	54	0	0	0	0	0	0
20	0	0	9	CLR	30.09	66	53	0	0	0	0	0	0
21	0	0	9	CLR	30.09	60	52	0	0	0	0	0	0
22	0	0	9	CLR	30.09	61	52	0	0	0	0	0	0
23	0	0	9	CLR	30.08	58	51	0	0	0	0	0	0
24	310	2	9	CLR	30.08	55	50	0	0	0	0	0	0

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04. MOORED PORT SIDE TO PIER SIERRA BERTH THREE AT U.S. NAVAL BASE, CHARLESTON, S.C., WITH STANDARD MOORING LINES DOUBLED. SHIP IS IN CONDITION OF READINESS V WITH MATERIAL CONDITION YOKE SET. MISCELLANEOUS MACHINERY IS ON THE LINE. RECEIVING MISCELLANEOUS SERVICES FROM PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS VARIOUS YARD AND DISTRICT CRAFT. SOPA IS COMDESFLOT 6 IN USS EVERGLADES (AD 24).

D. R. Kelehan
ENS USNR

04-06. MOORED AS BEFORE. 0750 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

D. R. Kelehan
ENS USNR

APPROVED: L. L. Hawkins U.S.N. COMMANDING

EXAMINED: W. F. Ziegler, LT. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) THURSDAY (Day) 9 (Date) NOU (Month) 19 61

0800-1200. MOORED AS BEFORE. 0945 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

R R Miller
ENS. USNR

1200-1600. MOORED AS BEFORE. 1300 COMMENCED CAPTAIN'S MATERIAL INSPECTION. 1530 SECURED FROM INSPECTION.

R R Miller
ENS. USNR

1600-2000. MOORED AS BEFORE

R R Miller
ENS. USNR

2000-2400. MOORED AS BEFORE.

R R Miller
ENS. USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: [signature] U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE FRI. 10 (Day) NOVEMBER (Date) (Month), 19 61

AT/~~PASSAGE~~ FROM CHARLESTON, SOUTH CAROLINA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	310	2	9	CLR	30 06	55	50	0	0	0	0	0	0
02	310	2	9	CLR	30 05	54	50	0	0	0	0	0	0
03	315	2	9	CLR	30 04	53	50	0	0	0	0	0	0
04	315	2	9	CLR	3004	53	50	0	0	0	0	0	0
05	315	2	9	CLR	3004	54	50	0	0	0	0	0	0
06	315	2	9	SCT	3007	56	51	0	0	0	0	0	0
07	315	2	10	SCT	3010	59	53	0	0	0	0	0	0
08	315	2	10	SCT	3010	57	54	3	20,000	C1	0	0	0
09	140	5	6	SCT	3011	60	50	4	20,000	C1	0	0	0
10	140	5	8	BKN	3013	66	52	8	20,000	C1	0	0	0
11	140	5	8	SCT	3014	73	55	2	20,000	C1	0	0	0
12	140	5	8	CLR	3016	76	58	0	0	0	0	0	0
13	040	4	8	CLR	3010	76	58	0	0	0	0	0	0
14	040	4	8	CLR	3010	70	55	0	0	0	0	0	0
15	040	4	8	CLR	3010	76	55	0	0	0	0	0	0
16	160	3	7	CLR	3010	70	57	0	0	0	0	0	0
17	160	3	8	CLR	3010	71	59	0	0	0	0	0	0
18	160	3	8	CLR	3011	72	60	0	0	0	0	0	0
19	160	3	8	CLR	3011	71	60	0	0	0	0	0	0
20	0	0	0	CLR	3012	69	69	0	0	0	0	0	0
21	0	0	0	CLR	3014	67	59	0	0	0	0	0	0
22	0	0	0	CLR	3016	68	61	0	0	0	0	0	0
23	0	0	0	CLR	3017	67	60	0	0	0	0	0	0
24	0	0	0	CLR	3016	67	60	0	0	0	0	0	0

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 50

REMARKS

00-04. MOORED PORTSIDE TO PIER SIERRA BERTH THREE AT U.S. NAVAL BASE, CHARLESTON, SOUTH CAROLINA, WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORE AND AFT. SOPA IS COMDESFLOT 6 IN USS EVERGLADES (AD 24). SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS IV WITH MATERIAL CONDITION YOKE SET.

[signature]
ENS. USNR

04-08. MOORED AS BEFORE. 0750 MUSTERED THE CREW ON STATION. ABSENTEES: NONE

[signature]
ENS. USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: [signature] LT. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP USS ABILITY (MSO519) FRI (Day) 10 (Date) NOV (Month), 19 61

8/12 MOORED AS BEFORE. 0928 MADE DAILY INSPECTION OF MAGAZINE AND SMOKELESS POWDER SAMPLES, CONDITION NORMAL. MADE WEEKLY TEST OF MAGAZINE SPRINKLING SYSTEM, CONDITION SATISFACTORY.

W J Dowell Ens USNR

12-16 MOORED AS BEFORE

W J Dowell Ens USNR

16-20 MOORED AS BEFORE

W J Dowell Ens USNR

20-24 MOORED AS BEFORE

W J Dowell Ens USNR

APPROVED: L L Hawkins U.S.N. COMMANDING

EXAMINED: LT. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY MSO-515 ZONE DESCRIPTION +5R DATE SATURDAY (Day) 11 (Date) NOV (Month) , 19 61

AT/~~PASSAGE~~ FROM CHARLESTON SOUTH CAROLINA ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	0	0	8	CLR	30 17	68	61	0	0	0	0	0	0
02	0	0	8	CLR	30 17	65	58	0	0	0	0	0	0
03	030	3	8	CLR	30 17	64	57	0	0	0	0	0	0
04	030	3	8	CLR	30 17	63	56	0	0	0	0	0	0
05	030	3	8	CLR	30 18	64	55	0	0	0	0	0	0
06	030	3	8	CLR	30 19	62	55	0	0	0	0	0	0
07	030	3	8	SCT	30 19	61	55	4	4800	AC	0	0	0
08	030	2	8	SCT	30 23	62	56	5	1600	NS	0	0	0
09	045	4	8	SCT	30 25	64	57	5	1660	NS	0	0	0
10	045	3	8	BKN	30 26	70	60	7	16000	NS	0	0	0
11	045	1	8	BKN	30 26	74	60	8	1600	SC/NS	0	0	0
12	045	4	8	BKN	30 25	78	65	8	1600	CU/NS	0	0	0
13	045	4	8	BKN	30 24	77	65	8	1000	CU/NS	0	0	0
14	050	5	8	BKN	30 23	76	64	8	1600	CU/NS	0	0	0
15	050	6	8	BKN	30 22	75	63	8	1600	CU/NS	0	0	0
16	050	6	8	BKN	30 20	75	65	8	1600	CU/NS	0	0	0
17	090	6	8	BKN	30 20	76	65	9	1600	CU/NS	0	0	0
18	090	6	8	BKN	30 20	76	64	9	1600	CU/NS	0	0	0
19	090	6	8	BKN	30 20	76	65	9	1600	CU/NS	0	0	0
20	095	6	8	BKN	30 20	75	65	9	1600	CU/NS	0	0	0
21	055	6	8	BKN	30 20	75	65	9	1600	CU/NS	0	0	0
22	095	6	4	OVC	30 20	72	66	10	1600	CU/NS	0	0	0
23	095	6	5	OVC	30 20	71	64	10	16000	AS	0	0	0
24	095	6	5	OVC	30 20	72	65	10	1600	AS	0	0	0

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

0/0-04 MOORED PORTSIDE TO PIER SIERRA BERTH THREE AT U.S. NAVAL BASE, CHARLESTON, SOUTH CAROLINA, WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORE AND AFT TO THE PIER. SOPA IS COMDESFLOT 6 IN USS ELDERBLADES (AD 24). SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS II WITH MATERIAL CONDITION YOKE SET

W. H. Dowell Ens USNR

0400 TO 0800 MOORED AS BEFORE. 0735 MUSTERED THE CREW ON STATION. ABSENTEES NONE.

W. H. Dowell Ens USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: [signature], LT. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

OK UNITED STATES SHIP ~~H~~ ABILITY (MSO 519) SAT (Day) 11 (Date) NOV (Month) 19 61

OK ~~08-0~~ 12. MOORED AS BEFORE. 0900 MADE DAILY INSPECTION OF MAGAZINE AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL.

D. L. Keleher
ENS USNR

12-16. MOORED AS BEFORE.

D. L. Keleher
ENS USNR

16-20. MOORED AS BEFORE.

D. L. Keleher
ENS USNR

20-24. MOORED AS BEFORE.

D. L. Keleher
ENS USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: _____ U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION T5 DATE SUN (Day) 12 (Date) NOV (Month), 19 61

AT/~~PASSAGE FROM~~ CHAS'N, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	095	4	9	OVC	30.20	72	65	10	1600	NS	0	0	0
02	095	4	9	OVC	30.20	72	65	10	1600	NS	0	0	0
03	095	2	9	OVC	30.20	72	65	10	1600	NS	0	0	0
04	095	2	7	OVC	30.20	73	66	10	1600	NS	0	0	0
05	095	2	7	OVC	30.20	73	66	10	1600	NS	0	0	0
06	095	4	8	OVC	30.23	72	65	10	1600	NS	0	0	0
07	095	2	8	OVC	30.22	71	65	10	1600	NS	0	0	0
08	080	6	8	OVC	30.24	70	67	10	1600	NS	0	0	0
09	080	2	6	OVC	30.27	71	68	10	1600	NS	0	0	0
10	080	4	7	OVC	30.28	75	68	10	1600	NS	0	0	0
11	080	6	7	OVC	30.29	80	70	10	1600	NS	0	0	0
12	085	6	10	OVC	30.26	80	70	10	1600	NS	0	0	0
13	085	6	10	OVC	30.22	84	68	10	1600	NS	0	0	0
14	090	6	10	OVC	30.26	84	68	10	1600	NS	0	0	0
15	085	10	10	OVC	30.29	80	67	10	1600	NS/AC	0	0	0
16	095	10	10	OVC	30.29	76	68	10	1600	NS/AC	0	0	0
17	095	8	10	OVC	30.29	79	70	10	1600	NS/AC	0	0	0
18	095	8	10	OVC	30.30	79	71	10	4500	AC/CI	0	0	0
19	095	4	10	BKN	30.29	76	69	8	4500	AC/CI	0	0	0
20	0	0	8	SCT	30.31	75	68	6	4500	AC/CI	0	0	0
21	090	2	8	CLR	30.31	73	66	0	0	0	0	0	0
22	090	2	8	CLR	30.32	71	65	0	0	0	0	0	0
23	090	5	8	CLR	30.32	77	68	0	0	0	0	0	0
24	090	8	8	CLR	30.32	77	68	0	0	0	0	0	0

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04. MOORED PORT SIDE TO PIER SIERRA BERTH THREE U.S. NAVAL BASE, CHARLESTON, SOUTH CAROLINA, WITH STANDARD MOORING LINES DOUBLED. USS AVENGE (MSO 423) MOORED OUTBOARD TO STARBOARD. OTHER SHIPS PRESENT INCLUDE VARIOUS UNITS U.S. ATLANTIC FLEET PLUS VARIOUS YARD AND DISTRICT CRAFT. SOPA IS COMDESFLOT SIX IN USS EVERGLADES (AD 24). RECEIVING MISCELLANEOUS SERVICES FROM PIER. MISCELLANEOUS MACHINERY IS ON THE LINE. SHIP IS IN CONDITION OF READINESS IV WITH MATERIAL CONDITION YOKE SET.

D. L. Keleher
ENS USNR

04-08. MOORED AS BEFORE. 0750 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE. 0755 USS AVENGE DEPARTED.

D. L. Keleher
ENS USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: [signature] LT. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) SUN (Day) 12 (Date) NOV. (Month) 19 61

08-12. MOORED AS BEFORE. 0900 MADE DAILY INSPECTION OF MAGAZINE AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL.

D. L. Kelleher
ENS USNR

12-16. MOORED AS BEFORE.

D. L. Kelleher
ENS USNR

16-20. MOORED AS BEFORE.

D. L. Kelleher
ENS USNR

20-24. MOORED AS BEFORE.

D. L. Kelleher
ENS USNR

APPROVED: L. L. Hawkins U.S.N. COMMANDING

EXAMINED: [signature] CTI U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO519) ZONE DESCRIPTION T 5 DATE MON (Day) 13 (Date) NOV (Month), 19 61

AT/PASSAGE FROM CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	090	2	8	CLR	30.32	70	65	0	0	0	0	0	0
02	090	2	8	CLR	30.32	70	65	0	0	0	0	0	0
03	090	4	8	CLR	30.34	68	65	0	0	0	0	0	0
04	090	4	8	CLR	30.30	68	64	0	0	0	0	0	0
05	110	4	8	CLR	30.30	68	64	0	0	0	0	0	0
06	130	5	8	CLR	30.31	68	64	0	0	0	0	0	0
07	150	5	10	CLR	30.32	73	67	0	0	0	0	0	0
08	210	5	10	CLR	30.33	71	66	0	0	0	0	0	0
09	230	5	10	CLR	30.33	73	65	0	0	0	0	0	0
10	220	4	10	CLR	30.34	74	67	0	0	0	0	0	0
11	150	4	10	SCT	30.32	78	68	4	1600	CU	0	0	0
12	150	6	8	BKN	30.31	81	70	9	1600	CU/AC	0	0	0
13	150	7	8	BKN	30.30	79	67	9	1600	CU/AC	0	0	0
14	150	7	8	SCT	30.30	79	67	6	4500	AC	0	0	0
15	150	8	8	SCT	30.30	76	67	6	4500	AC	0	0	0
16	140	8	9	BKN	30.32	76	68	9	1600	CU/AC	0	0	0
17	150	7	9	OVC	30.33	76	68	10	1600	CU/AC	0	0	0
18	150	6	9	OVC	30.34	76	68	10	1600	CU/AC	0	0	0
19	135	12	8	OVC	30.34	75	68	10	1600	CU/CN	0	0	0
20	135	3	8	OVC	30.36	75	68	10	1600	CU/AC	0	0	0
21	135	8	8	OVC	30.36	75	67	10	1600	NS/AC	0	0	0
22	140	9	8	OVC	30.34	72	68	10	1600	NS/AC	0	0	0
23	110	10	8	OVC	30.33	74	67	10	1600	NS/AC	0	0	0
24	110	2	7	OVC	30.32	77	68	10	1600	NS/AC	0	0	0

POSITION	ZONE	TIME
0800		
L ____	BY	____
λ ____	BY	____
1200		
L ____	BY	____
λ ____	BY	____
2000		
L ____	BY	____
λ ____	BY	____

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM ____ (ZT) (Date)

TO ____ (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 0

FUEL CONSUMED 0000–2400: 50

REMARKS

00-04. MOORED PORT SIDE TO PIER SIERRA BERTH THREE U.S. NAVAL BASE, CHARLESTON, SOUTH CAROLINA, WITH STANDARD MOORING LINES DOUBLED. OTHER SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS VARIOUS YARD AND DISTRICT CRAFT. SOPA IS COMDESFLOT SIX ON USS EVERGLADES (AD 24). RECEIVING VARIOUS SERVICES FROM PIER. MISCELLANEOUS EQUIPMENT IS ON THE LINE. SHIP IS IN CONDITION OF READINESS IV WITH MATERIAL CONDITION YOKE SET.

D. L. Kelaher
ENS USNR

04-08. MOORED AS BEFORE. 0750 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

D. L. Kelaher
ENS USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: [signature] U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) MON (Day) 13 (Date) NOV (Month) 19 61

OP-2 MOORED AS BEFORE 0917 MADE DAILY INSPECTION OF MAGAZINE AND SMOKELESS POWDER SAMPLES. CONDITION NORMAL.

W R Duell Ens USNR

12-16 MOORED AS BEFORE

W R Duell Ens USNR

16-20 MOORED AS BEFORE

W R Duell Ens USNR

20-24 MOORED AS BEFORE

W R Duell Ens USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: [signature] U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE TUE (Day) 14 (Date) NOV. (Month) 19 61

AT/PASSAGE FROM CHARLESTON S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	110	4	6	OVC	30.31	75	69	10	1600	NS	0	0	0
02	110	4	6	OVC	30.30	75	69	10	1600	NS	0	0	0
03	110	3	6	OVC	30.28	77	69	10	1600	NS	0	0	0
04	0	0	7	OVC	30.28	75	69	10	1600	NS	0	0	0
05	0	0	8	OVC	30.28	75	70	10	1600	NS	0	0	0
06	0	0	8	OVC	30.29	76	70	10	1600	NS	0	0	0
07	0	0	9	OVC	30.29	77	70	10	1600	NS	0	0	0
08	000	2	4	R	30.31	77	69	10	1600	NS	0	0	0
09	350	2	5	R	30.31	79	68	10	1600	NS	0	0	0
10	0	0	5	OVC	30.30	76	70	10	1600	NS	0	0	0
11	0	0	7	OVC	30.30	77	70	10	1600	NS	0	0	0
12	0	0	7	OVC	30.29	78	71	10	1600	NS	0	0	0
13	0	0	7	OVC	30.24	76	70	10	1600	NS	0	0	0
14	0	0	7	OVC	30.23	80	71	10	1600	NS/AC	0	0	0
15	210	4	8	OVC	30.22	80	71	10	1600	NS/AC	0	0	0
16	210	4	9	OVC	30.22	80	71	10	1600	NS/AC	0	0	0
17	210	2	8	OVC	30.24	80	71	10	1600	NS/AC	0	0	0
18	210	6	8	OVC	30.24	80	71	10	1600	NS/AC	0	0	0
19	210	4	8	OVC	30.24	79	70	10	1600	NS/AC	0	0	0
20	210	4	8	OVC	30.26	71	68	10	1600	NS/AC	0	0	0
21	210	4	8	BKN	30.26	71	68	8	1600	NS/AC	0	0	0
22	210	4	8	SCT	30.25	70	68	6	1600	CU/AC	0	0	0
23	200	2	8	SCT	30.25	71	69	6	1600	CU/AC	0	0	0
24	200	4	8	SCT	30.23	72	69	5	1600	CU/AC	0	0	0

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 0

FUEL CONSUMED 0000–2400: 50

REMARKS

0400 – 0800 MOORED PORTSIDE TO PIER SIERRA BERTH THREE AT US NAVAL BASE, CHARLESTON, S.C. WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORE AND AFT TO THE PIER. SOPA IS CHIEFSFLOT 6 IN USS EVERGLADES (AD-24). SHIPS PRESENT INCLUDE VARIOUS UNITS OF US ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS II WITH MATERIAL CONDITION YOKE SET.

W.H. Dwiggins Ens USNR

0400 – 0800 MOORED AS BEFORE. 0750 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

W.H. Dwiggins Ens USNR

APPROVED: J.A. Hawkins U.S.N. COMMANDING

EXAMINED: W.D. Higgins, LT. U.S.N. NAVIGATOR

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) TUE (Day) 14 (Date) NOV (Month), 19 61

0800-1200. MOORED AS BEFORE. 0810 MADE DAILY INSPECTION OF MAGAZINE AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL.

D. R. Kelehan.
ENS USNR

1200-1600. MOORED AS BEFORE.

D. R. Kelehan
ENS USNR

1600-2000. MOORED AS BEFORE.

D. R. Kelehan
ENS USNR

2000-2400. MOORED AS BEFORE.

D. R. Kelehan
ENS USNR

APPROVED: [signature] ~~U.S.N.~~ COMMANDING

EXAMINED: [signature], LT. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5 DATE WED (Day) 15 (Date) NOV (Month), 19 61

AT/PASSAGE FROM CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	101	10	10	SCT	30.23	72	70	5	1600	NS	0	0	0
02	101	10	10	SCT	30.22	73	70	5	1600	NS	0	0	0
03	0	0	10	SCT	30.21	73	70	6	1600	NS	0	0	0
04	0	0	8	SCT	30.21	74	69	6	1600	NS	0	0	0
05	094	1	9	SCT	30.21	74	67	5	1600	NS	0	0	0
06	000	1	7	SCT	30.22	74	67	7	1600	NS	0	0	0
07	001	2	6	SCT	30 23	74	68	6	1600	NS	0	0	0
08	0	0	10	SCT	30 26	75	70	5	1600	NS	0	0	0
09	6	0	10	SCT	30 27	75	70	5	1600	NS	0	0	0
10	0	0	10	SCT	30 27	81	72	5	1600	NS	0	0	0
11	325	3	10	SCT	3027	82	72	5	1600	NS	0	0	0
12	325	3	10	SCT	3027	85	73	5	1600	NS	0	0	0
13	325	3	10	SCT	3027	84	72	5	1600	NS	0	0	0
14	825	3	10	SCT	30 20	80	70	5	1600	NS	0	0	0
15	325	3	10	SCT	3019	75	70	5	1600	NS	0	0	0
16	325	3	4	R	30 20	78	72	10	1600	NS	0	0	0
17	325	3	6	R	30 21	77	71	10	1600	NS	0	0	0
18	325	3	7	OVC CLDY	3020	77	70	10	1600	NS	0	0	0
19	325	4	9	OVC CLDY	3021	76	72	10	1600	NS	0	0	0
20	325	4	9	OVC CLDY	30 24	77	71	10	1600	NS	0	0	0
21	325	4	9	OVC CLDY	30 24	77	71	10	1600	NS	0	0	0
22	325	4	9	OVC CLDY	3024	71	70	10	1600	NS	0	0	0
23	325	4	9	OVC CLDY	3024	71	70	10	1600	NS	0	0	0
24	325	4	9	OVC CLDY	3024	71	70	10	1600	NS	0	0	0

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 50

REMARKS

00-04. MOORED PORT SIDE TO PIER SIERRA BERTH THREE AT U.S. NAVAL BASE, CHARLESTON, SOUTH CAROLINA, WITH STANDARD MOORING LINES DOUBLED. RECEIVING MISCELLANEOUS SERVICES FROM PIER. MISCELLANEOUS MACHINERY IS ON THE LINE. SHIP IS IN CONDITION OF READINESS V WITH MATERIAL CONDITION YOKE SET. OTHER SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS VARIOUS YARD AND DISTRICT CRAFT. SOPA IS COMINCLANT AT U.S. NAVAL BASE.

D. R. Kelehor
ENS USNR

04-08. MOORED AS BEFORE. 0750 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

D. R. Kelehor
ENS USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: [signature] U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) WED (Day) 15 (Date) NOV (Month), 19 61

0800-1200. MOORED AS BEFORE. 1102. MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

R R Miller
ENS. USNR.

1200-1600. MOORED AS BEFORE.

R R Miller
ENS. USNR

1600-2000 MOORED AS BEFORE.

R R Miller
ENS. USNR

2000-2400. MOORED AS BEFORE.

R R Miller
ENS. USNR.

APPROVED:

U.S.N. COMMANDING

EXAMINED:

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE THURSDAY (Day) 16 (Date) NOVEMBER (Month) 19 61

AT/~~PASSAGE~~ FROM CHARLESTON, SOUTH CAROLINA ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	325	4	9	R	30.22	73	70	10	1600	NS	0	0	0
02	325	4	5	OVC CLDY	30.24	72	70	10	1600	NS	0	0	0
03	0	0	2	OVC CLDY	30.21	72	70	10	1600	NS	0	0	0
04	0	0	2	FOG	30.20	73	69	10	6	0	0	0	0
05	0	0	2	FOG	30.21	73	70	10	0	0	0	0	0
06	325	2	10	FOG	30.19	72	70	10	0	0	0	0	0
07	0	0	10	BKN	30.19	75	70	9	1600	NS	0	0	0
08	0	0	10	CLR	30.20	75	68	0	4500	AC	0	0	0
09	0	0	10	CLR	30.20	78	71	0	4500	AC	0	0	0
10	0	0	10	OVC	30.20	76	69	9	4500	AC	0	0	0
11	0	0	10	OVC	30.18	79	72	9	1600	NS	0	0	0
12	200	9	10	BKN	30.15	80	70	9	1600	NS	0	0	0
13	200	9	10	BKN	30.11	78	69	9	1600	NS	0	0	0
14	220	6	10	BKN	30.10	77	69	9	1600	NS	0	0	0
15	220	6	10	BKN	30.10	76	69	9	1600	NS	0	0	0
16	200	4	7	BKN	30.07	75	69	9	1600	NS	0	0	0
17	200	5	7	SCT	30.09	74	68	5	1600	NS	0	0	0
18	170	5	7	SCT	30.08	71	68	3	4500	AC	0	0	0
19	170	4	7	SCT	30.07	71	68	3	4500	AC	0	0	0
20	170	3	9	SCT	30.07	71	68	3	4500	AC	0	0	0
21	230	5	10	SCT	30.06	70	67	3	4500	AC	0	0	0
22	230	4	10	SCT	30.05	70	67	3	4500	AC	0	0	0
23	230	4	8	CLR	30.04	70	67	0	0	0	0	0	0
24	230	6	8	SCT	30.03	73	68	3	1600	CU	0	0	0

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04. MOORED PORT SIDE TO PIER SIERRA BERTH THREE AT U.S. NAVAL BASE, CHARLESTON, SOUTH CAROLINA, WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORE AND AFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS IV WITH MATERIAL CONDITION YOKE SET. SHIPS PRESENT INCLUDE VARIOUS UNITS OF CANADIAN AND U.S. ATLANTIC FLEETS PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. SOPA IS COMINLANT AT U.S. NAVAL BASE.

R.R. Miller
ENS. USNR

04-08. MOORED AS ~~BE~~ BEFORE. 0750 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

R.R. Miller
ENS. USNR

APPROVED: L.L. Hawkins U.S.N. COMMANDING

EXAMINED: [signature] U.S.N. NAVIGATOR

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) THURSDAY (Day) 16 (Date) NOVEMBER (Month) 19 61

08-12 MOORED AS BEFORE. 1942 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITION NORMAL

W. B. Dieckhoff, Ens USNR

12-16 MOORED AS BEFORE

W. B. Dieckhoff Ens USNR

16-20 MOORED AS BEFORE

W. B. Dieckhoff Ens USNR

20-24 MOORED AS BEFORE

W. B. Dieckhoff Ens USNR

APPROVED: L. H. Hawkins U.S.N. COMMANDING

EXAMINED: W. D. Ruggles, LT. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE FRIDAY (Day) 17 (Date) NOVEMBER (Month), 19 61

AT/PASSAGE FROM CHARLESTON, SOUTH CAROLINA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	230	4	8	SCT	30.02	72	62	0	0	0	0	0	0
02	230	3	8	SCT	30.01	71	67	0	0	0	0	0	0
03	260	4	8	CLR	30.00	71	67	0	0	0	0	0	0
04	270	5	8	CLR	30.00	73	68	0	0	0	0	0	0
05	260	5	8	CLR	30.00	70	64	0	0	0	0	0	0
06	260	3	9	CLR	30.01	68	62	0	0	0	0	0	0
07	270	6	10	CLR	30.03	67	60	0	0	0	0	0	0
08	260	7	10	CLR	30.04	68	59	0	0	0	0	0	0
09	260	8	10	CLR	30.04	68	59	0	0	0	0	0	0
10	290	10	10	CLR	30.04	67	58	0	0	0	0	0	0
11	340	10	10	CLR	30.04	67	58	0	0	0	0	0	0
12	330	6	10	CLR	30.02	67	58	0	0	0	0	0	0
13	330	6	10	CLR	30.00	70	58	0	0	0	0	0	0
14	335	6	10	CLR	29.99	70	58	0	0	0	0	0	0
15	335	6	10	CLR	30.00	70	75	0	0	0	0	0	0
16	335	6	10	CLR	29.98	72	62	0	0	0	0	0	0
17	335	6	10	CLR	30.00	71	65	0	0	0	0	0	0
18	335	6	10	CLR	30.00	70	63	0	0	0	0	0	0
19	335	6	10	CLR	30.03	69	63	0	0	0	0	0	0
20	340	4	7	CLR	30.05	67	62	0	0	0	0	0	0
21	340	5	7	CLR	30.04	64	57	0	0	0	0	0	0
22	345	4	7	CLR	30.06	63	56	0	0	0	0	0	0
23	345	5	7	CLR	30.05	62	55	0	0	0	0	0	0
24	340	5	7	CLR	30.05	66	55	0	0	0	0	0	0

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 50

REMARKS

0400-04 MOORED PORT SIDE SIERRA BERTH THREE AT U.S. NAVAL BASE CHARLESTON, S.C. WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORE AND AFT TO THE PIER. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS II WITH MATERIAL CONDITION YOKE SET. SHIPS PRESENT INCLUDE VARIOUS UNITS OF CANADIAN AND U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. SOPA IS COMINLANT AT U.S. NAVAL BASE.

W.A. Dill Ens USNR.

0400-08 MOORED AS BEFORE. 0750 MUSTERED THE CREW AT QUARTERS, ABSENTEES: NONE.

W.A. Dill Ens. USNR

APPROVED: U.S.N. COMMANDING

EXAMINED: Lt. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) FRIDAY (Day) 17 (Date) NOVEMBER (Month) 19 61

08-12. MOORED AS BEFORE. 1105 MADE DAILY INSPECTION OF MAGAZINE AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL. MADE WEEKLY TEST OF MAGAZINE SPRINKLER SYSTEM. TEST SATISFACTORY.

D. L. Kelahan
ENS USNR

12-16. MOORED AS BEFORE. 1520 USS VIGOR (MSO 473) MOORED OUTBOARD TO STARBOARD.

D. L. Kelahan
ENS USNR

16-20. MOORED AS BEFORE. 1600 IN ACCORDANCE WITH BUPERS ORDER 098956 dtd 25 JUL 1961 LT. A. A. FIORE, USNR, 606022, REPORTED ON BOARD FOR DUTY AS EXECUTIVE OFFICER. D. L. Kelahan
ENS USNR

20-24. MOORED AS BEFORE. + DK

D. L. Kelahan
ENS USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: [signature] LT U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE SATURDAY (Day) 18 (Date) NOVEMBER (Month) 19 61

AT/~~PASSAGE~~ FROM CHARLESTON, SOUTH CAROLINA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	330	2	6	CLR	30.05	58	53	0	0	0	0	0	0
02	310	2	6	CLR	30.05	56	51	0	0	0	0	0	0
03	310	2	6	CLR	30.04	54	50	0	0	0	0	0	0
04	310	2	8	CLR	30.05	54	50	0	0	0	0	0	0
05	310	4	8	CLR	30.06	52	48	0	0	0	0	0	0
06	310	4	8	CLR	30.07	51	46	0	0	0	0	0	0
07	310	4	8	CLR	30.09	48	44	0	0	0	0	0	0
08	310	4	8	CLR	30.11	49	44	0	0	0	0	0	0
09	310	4	10	CLR	30.12	51	45	0	0	0	0	0	0
10	310	4	10	CLR	30.14	54	47	0	0	0	0	0	0
11	310	4	10	CLR	30.14	55	49	0	0	0	0	0	0
12	310	7	10	CLR	30.14	57	51	0	0	0	0	0	0
13	310	5	10	CLR	30.12	61	55	0	0	0	0	0	0
14	310	3	10	CLR	30.09	64	58	0	0	0	0	0	0
15	310	3	10	CLR	30.09	64	59	0	0	0	0	0	0
16	310	4	9	SCT	30.09	63	59	4	1800	AC	0	0	0
17	310	3	10	SCT	30.10	60	55	4	1600	AC	0	0	0
18	310	3	10	CLR	30.10	58	53	0	0	0	0	0	0
19	310	3	8	SCT	30.10	55	50	3	4500	ST	0	0	0
20	310	3	8	SCT	30.10	55	50	5	1600	NS	0	0	0
21	310	3	8	OVC	30.10	55	50	10	1600	NS	0	0	0
22	310	4	8	OVC	30.10	55	50	10	1600	NS	0	0	0
23	310	3	8	OVC	30.10	55	50	10	1600	NS	0	0	0
24	310	3	8	OVC	30.10	55	50	10	1600	NS	0	0	0
		3	8	OVC	30.10								

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

0000-0400. MOORED PORT SIDE TO PIER SIERRA BERTH THREE AT U.S. NAVAL BASE, CHARLESTON, SOUTH CAROLINA, WITH STANDARD MOORING LINES DOUBLED. USS VIGOR (MSO473) IS MOORED OUTBOARD TO STARBOARD. OTHER SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS VARIOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM PIER. SHIP IS IN CONDITION OF READINESS V WITH MATERIAL CONDITION YOKE SET. SOPA IS COMINCANT AT U.S. NAVAL BASE. MISCELLANEOUS MACHINERY IS ON THE LINE. OK

D. L. Kelleher
ENS USNR

0400-0800. MOORED AS BEFORE. 0750 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

D. L. Kelleher
ENS USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: [signature] U.S.N. NAVIGATOR

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) SATURDAY (Day) 18 (Date) NOVEMBER (Month) 19 61

0800-1200. MOORED AS BEFORE. 1010 USS VIGOR (MSO-473) UNDERWAY FROM OUR STARBOARD SIDE. 1027 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

R R Miller
ENS. USNR

1200-1600. MOORED AS BEFORE.

R R Miller
ENS. USNR

1600-2000. MOORED AS BEFORE.

R R Miller
ENS. USNR

2000-2400. MOORED AS BEFORE.

R R Miller
ENS. USNR

APPROVED: D. D. Hawkins U.S.N. COMMANDING

EXAMINED: [illegible] LT. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION 75 DATE SUNDAY (Day) 19 (Date) NOVEMBER (Month), 19 61

AT/~~PASSAGE~~ FROM CHARLESTON, SOUTH CAROLINA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	310	8	10	OVC	30.06	54	50	10	1600	NS	0	0	0
02	310	8	10	OVC	30.05	54	50	10	1600	NS	0	0	0
03	310	8	10	OVC	30.05	50	47	10	1600	NS	0	0	0
04	310	8	8	OVC	30.06	51	47	10	1600	NS	0	0	0
05	310	8	8	OVC	30.06	51	46	10	1600	NS	0	0	0
06	310	8	8	OVC	30.08	51	46	10	1600	NS	0	0	0
07	310	8	6	R	30.08	50	46	10	1600	NS	0	0	0
08	310	8	7	R	30.09	49	46	10	1600	NS	0	0	0
09	310	8	7	R	30.10	47	44	10	1600	NS	0	0	0
10	310	8	8	R	30.10	47	44	10	1600	NS	0	0	0
11	310	8	8	R	30.09	47	44	10	1600	NS	0	0	0
12	310	8	8	R	30.09	49	45	10	1600	NS	0	0	0
13	310	8	8	OVC	30.06	49	45	10	1600	NS	0	0	0
14	345	7	8	OVC	30.05	49	46	10	1600	NS	0	0	0
15	320	8	8	OVC	30.03	49	46	10	1600	NS	0	0	0
16	320	8	6	OVC	30.06	48	46	10	1600	NS	0	0	0
17	320	8	8	OVC	30.06	48	46	10	1600	NS	0	0	0
18	320	8	8	OVC	30.06	47	43	10	1600	NS	0	0	0
19	320	8	8	OVC	30.07	47	43	10	1600	NS	0	0	0
20	320	8	8	OVC	30.10	47	44	10	1600	NS	0	0	0
21	320	8	8	OVC	30.10	47	44	10	1600	NS	0	0	0
22	320	8	8	OVC	30.11	47	43	10	1600	NS	0	0	0
23	320	8	8	OVC	30.11	47	43	10	1600	NS	0	0	0
24	320	8	8	OVC	30.11	47	43	10	1600	NS	0	0	0

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 0

FUEL CONSUMED 0000–2400: 50

REMARKS

00-04. MOORED PORT SIDE TO PIER SIERRA BERTH THREE AT U.S. NAVAL BASE, CHARLESTON, SOUTH CAROLINA, WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORE AND AFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS V WITH MATERIAL CONDITION YOKE SET. SOPA IS COMINLANT AT U.S. NAVAL BASE. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. AND CANADIAN ATLANTIC FLEETS PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT.

J. R. Miller
ENS. USNR

04-08. MOORED AS BEFORE. 0750 MUSTERED THE CREW ON STATION. ABSENTEES: NONE.

J. R. Miller
ENS. USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: [signature] U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) SUNDAY (Day) 19 (Date) NOVEMBER (Month) 19 61

0800-1200. MOORED AS BEFORE. 1120 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

R R Miller
ENS. USNR

1200-1600. MOORED AS BEFORE.

R R Miller
ENS. USNR

1600-2000. MOORED AS BEFORE.

R R Miller
ENS. USNR

2000-2400. MOORED AS BEFORE.

R R Miller
ENS. USNR

APPROVED: L L Hawkins U.S.N. COMMANDING

EXAMINED: W A Hill Jr. LT. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE MONDAY (Day) 30 (Date) NOVEMBER (Month), 19 61

AT/~~PASSAGE~~ FROM CHARLESTON, SOUTH CAROLINA ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	320	7	8	OVC	30.12	45	42	10	1600	NS	0	0	0
02	320	7	8	OVC	30.15	43	41	10	1600	NS	0	0	0
03	320	7	8	OVC	30.15	46	43	10	1600	NS	0	0	0
04	320	7	8	OVC	30.15	46	43	10	1600	NS	0	0	0
05	320	6	8	OVC	30.15	47	42	10	1600	NS	0	0	0
06	320	6	8	OVC	30.16	47	43	10	1600	NS	0	0	0
07	320	6	8	OVC	30.20	47	43	10	1600	NS	0	0	0
08	320	6	8	OVC	30.22	47	44	10	1600	NS	0	0	0
09	320	6	8	OVC	30.24	47	44	10	1600	NS	0	0	0
10	320	8	8	OVC	30.24	47	44	10	1600	NS	0	0	0
11	340	10	6	OVC	30.26	47	45	10	1600	NS	0	0	0
12	320	10	8	OVC	30.24	47	45	10	1600	NS	0	0	0
13	320	10	8	OVC	30.24	48	45	10	1600	NS	0	0	0
14	300	10	8	OVC	30.24	49	45	10	1600	NS	0	0	0
15	310	10	9	OVC	30.24	49	45	10	1600	NS/CU	0	0	0
16	300	4	9	BKN	30.25	51	45	9	1600	CU/AC	0	0	0
17	280	5	8	BKN	30.26	50	45	7	1600	CU/AC	0	0	0
18	150	6	8	SCT	30.26	52	47	5	1600	CU/AC	0	0	0
19	040	5	7	SCT	30.26	53	47	3	1600	CU/AC	0	0	0
20	040	5	7	CLR	30.27	52	49	0	0	0	0	0	0
21	040	5	7	CLR	30.29	50	47	0	0	0	0	0	0
22	040	5	7	CLR	30.30	49	46	0	0	0	0	0	0
23	040	5	7	CLR	30.32	48	46	0	0	0	0	0	0
24	040	5	7	CLR	30.32	48	46	0	0	0	0	0	0

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 0

FUEL CONSUMED 0000–2400: 113

REMARKS

0000–0400. MOORED PORTSIDE TO PIER SIERRA BERTH THREE AT U.S. NAVAL BASE, CHARLESTON, SOUTH CAROLINA, WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORE AND AFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS V WITH MATERIAL CONDITION YOKE SET. SOPA IS COMINLANT AT U.S. NAVAL BASE. SHIPS PRESENT INCLUDE VARIOUS UNITS OF CANADIAN AND U.S. ATLANTIC FLEETS PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT.

R.R. Miller
ENS. USNR

0400–0800. MOORED AS BEFORE. 0750 MUSTERED THE CREW AT QUARTERS. ABSENTEES; NONE.

R.R. Miller
ENS-USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: [signature] U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) MONDAY (Day) 20 (Date) NOVEMBER (Month) 19 61

0800-1200. MOORED AS BEFORE. 1015. MADE DAILY INSPECTION OF MAGAZINE AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL.

D. L. Kelehan
ENS USNR

1200-1600. MOORED AS BEFORE.

D. L. Kelehan
ENS USNR

1600-2000. MOORED AS BEFORE.

D. L. Kelehan
ENS USNR

2000-2400. MOORED AS BEFORE.

D. L. Kelehan
ENS USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: [signature] LT. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE TUESDAY (Day) 21 (Date) NOVEMBER (Month) 19 61

AT/~~PASSAGE~~ FROM CHARLESTON, SOUTH CAROLINA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	5	8	CLR	30.32	44	40	0	0	0	0	0	0
02	045	6	8	CLR	30.31	43	38	0	0	0	0	0	0
03	050	6	8	CLR	30.31	42	38	0	0	0	0	0	0
04	050	6	8	CLR	30.31	42	38	0	0	0	0	0	0
05	050	6	8	CLR	30.34	41	36	0	0	0	0	0	0
06	050	6	8	CLR	30.35	40	35	0	0	0	0	0	0
07	050	6	8	CLR	30.36	39	33	0	0	0	0	0	0
08	055	5	8	CLR	30.37	44	37	0	0	0	0	0	0
09	060	5	8	CLR	30.38	44	38	0	0	0	0	0	0
10	060	5	8	CLR	30.39	47	41	0	0	0	0	0	0
11	080	7	8	CLR	30.39	49	44	0	0	0	0	0	0
12	080	7	8	CLR	30.39	50	44	0	0	0	0	0	0
13	090	6	8	CLR	30.39	51	46	0	0	0	0	0	0
14	090	6	8	CLR	30.36	53	48	0	0	0	0	0	0
15	045	6	8	CLR	30.36	53	47	0	0	0	0	0	0
16	045	10	8	CLR	30.35	53	47	0	0	0	0	0	0
17	045	10	8	CLR	30.34	53	47	0	0	0	0	0	0
18	045	10	8	CLR	30.36	52	47	0	0	0	0	0	0
19	045	8	8	CLR	30.36	52	47	0	0	0	0	0	0
20	0	0	8	CLR	30.36	49	44	0	0	0	0	0	0
21	0	0	8	CLR	30.36	47	43	0	0	0	0	0	0
22	0	0	8	CLR	30.36	45	41	0	0	0	0	0	0
23	0	0	8	CLR	30.34	45	41	0	0	0	0	0	0
24	090	0	8	CLR	30.34	45	40	0	0	0	0	0	0

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 100

REMARKS

00-04. MOORED PORT SIDE TO PIER SIERRA BERTH THREE AT U.S. NAVAL BASE, CHARLESTON, SOUTH CAROLINA, WITH STANDARD MOORING LINES DOUBLED. OTHER SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS VARIOUS ~~YA~~ YARD AND DISTRICT CRAFT. SOPA IS COMINLANT AT U.S. NAVAL BASE. SHIP IS IN CONDITION OF READINESS V WITH MATERIAL CONDITION YOKE SET. RECEIVING MISCELLANEOUS SERVICES FROM PIER. MISCELLANEOUS MACHINERY IS ON THE LINE. OK

D. R. Kelcher
ENS USNR

04-08. MOORED AS BEFORE. 0750 MUSTERED THE CREW AT QUARTERS: NONE.

D. R. Kelcher
ENS USNR

APPROVED: L. Hawkins U.S.N. COMMANDING

EXAMINED: [signature] U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) TUESDAY (Day) 21 (Date) NOVEMBER (Month) 19 64

0 8-12. MOORED AS BEFORE. 1030 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

K R Miller
ENS. USNR

12-16. MOORED AS BEFORE.

K R Miller
ENS. USNR

16-20. MOORED AS BEFORE.

K R Miller
ENS. USNR

20-24. MOORED AS BEFORE.

K R Miller
ENS. USNR

APPROVED: L Hawkins U.S.N. COMMANDING

EXAMINED: W T Riggin, LT U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE WEDNESDAY (Day) 22 (Date) NOVEMBER (Month) 19 61

AT/PASSAGE FROM CHARLESTON, SOUTH CAROLINA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	090	3	7	CLR	30.32	45	42	0	0	0	0	0	0
02	090	3	7	CLR	30.32	45	42	0	0	0	0	0	0
03	120	3	7	CLR	30.31	45	42	0	0	0	0	0	0
04	110	3	7	CLR	30.30	44	46	0	0	0	0	0	0
05	170	3	7	CLR	30.29	41	38	0	0	0	0	0	0
06	080	5	7	SCT	30.29	42	38	3	20,000	CI	0	0	0
07	080	5	7	SCT	30.29	42	38	3	20,000	CI	0	0	0
08	080	6	9	SCT	30.30	46	40	3	20,000	CI	0	0	0
09	318	6	10	SCT	30.32	53	44	3	20,000	CI	0	0	0
10	320	7	10	SCT	30.29	60	52	2	20,000	CI	0	0	0
11	320	7	10	SCT	30.29	60	52	2	4500	AC	0	0	0
12	320	7	10	SCT	30.26	59	52	2	4500	AC	0	0	0
13	135	8	10	SCT	30.22	60	52	4	20,000	CI	1	0	0
14	175	8	10	SCT	30.20	60	54	4	20,000	CI	0	0	0
15	110	7	10	SCT	30.20	61	55	5	20,000	CI	0	0	0
16	110	10	10	SCT	30.19	60	55	5	20,000	CI	0	0	0
17	100	12	10	SCT	30.17	59	56	4	20,000	CI	0	0	0
18	100	4	10	SCT	30.18	59	55	5	4500	AC	0	0	0
19	100	1	10	SCT	30.16	57	54	5	4500	AC	0	0	0
20	090	1	10	SCT	30.15	55	52	5	4500	AC	0	0	0
21	050	3	10	BKN	30.17	55	52	5	4500	AC	0	0	0
22	030	3	10	BKN	30.15	55	52	9	4500	AC	0	0	0
23	030	3	10	BKN	30.14	55	52	9	4500	AC	0	0	0
24	090	3	9	BKN	30.12	56	53	9	4500	AC	0	0	0

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 547

REMARKS

00-04. MOORED PORTSIDE TO PIER SIERRA BERTH THREE AT U.S. NAVAL BASE, CHARLESTON, SOUTH CAROLINA, WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORE AND AFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS V WITH MATERIAL CONDITION YOKE SET. SOPA IS COMINLANT AT U.S. NAVAL BASE. SHIPS PRESENT INCLUDE VARIOUS UNITS OF CANADIAN AND U.S. ATLANTIC FLEETS PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT.

R R Miller
ENS. USNR

04-08. MOORED AS BEFORE. 0750 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE

R R Miller
ENS. USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: G. A. Faire, LT U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABLE (MSO 519) WED (Day) 22 (Date) NOV (Month) 19 61

0800-1200 MOORED AS BEFORE. 0905 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES, CONDITION NORMAL

W H Driskell Ens USNR

1200-1600 MOORED AS BEFORE.

W H Driskell Ens USNR

1600-2000 MOORED AS BEFORE

W H Driskell Ens USNR

2000-2400 MOORED AS BEFORE

W H Driskell Ens USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: [signature] U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE THU (Day) 23 (Date) NOV. (Month), 19 61

AT/~~PASSAGE~~ FROM CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	080	~~7~~	8	SCT	30.12	56	53	3	4500	AC	0	0	0
02	070	3	8	SCT	30.10	57	53	3	4500	AC	0	0	0
03	090	2	8	SCT	30.08	58	54	4	4500	AC/CI	0	0	0
04	120	10	8	SCT	30.05	60	58	5	4500	AC	0	0	0
05	130	9	8	SCT	30.04	66	62	5	1600	NS/AC	0	0	0
06	130	7	10	BKN	30.03	68	64	7	1600	NS/AC	0	0	0
07	130	9	10	OVC	30.02	68	64	10	1600	NS/AC	0	0	0
08	130	10	10	OVC	30.00	70	65	10	1600	NS	0	0	0
09	130	8	10	OVC	30.00	72	65	10	1600	NS	0	0	0
10	130	8	10	OVC	30.00	72	65	10	1600	NS	0	0	0
11	130	8	9	OVC	30.00	72	68	10	1600	NS	0	0	0
12	130	10	9	OVC	29.90	73	68	10	1600	NS	0	0	0
13	090	10	7	OVC	29.85	73	70	10	1600	NS	0	0	0
14	090	10	3	R	29.83	68	66	10	1600	NS	0	0	0
15	130	10	3	R	29.80	62	60	10	1600	NS	0	0	0
16	130	10	4	R	29.80	62	59	10	1600	NS	0	0	0
17	130	5	4	R	29.80	61	58	10	1600	NS	0	0	0
18	130	5	4	R	29.81	62	58	10	1600	NS/AC	0	0	0
19	130	5	4	OVC	29.82	63	59	10	1600	NS/AC	0	0	0
20	130	5	5	BKN	29.84	62	59	8	4500	NS/AC	0	0	0
21	140	4	5	SCT	29.84	60	56	6	4500	AC/CI	0	0	0
22	140	5	5	SCT	29.84	58	56	5	4500	AC/CI	0	0	0
23	130	2	5	SCT	29.85	55	51	4	20000	CI	0	0	0
24	130	2	5	SCT	29.85	53	50	4	20000	CI	0	0	0

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 0

FUEL CONSUMED 0000–2400: 260

REMARKS

0600 MOORED PORTSIDE TO PIER SIERRA BERTH THREE AT US NAVAL BASE, CHARLESTON, S.C. WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORE AND AFT TO THE PIER. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS II WITH MATERIAL CONDITION YOKE SET. SHIP IS COMMENDANT AT US. NAVAL BASE. SHIPS PRESENT INCLUDE VARIOUS UNITS OF CANADIAN AND US ATLANTIC FLEETS PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT.

W.B. Wright Ens USNR.

0600-0800 MOORED AS BEFORE. 0755 MUSTERED THE CREW AT QUARTERS, ABSENTEES: NONE.

W.B. Wright Ens USNR

APPROVED: S. Hawkins U.S.N. COMMANDING

EXAMINED: U.A. Fiore, LT U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) THURSDAY (Day) 23 (Date) NOVEMBER (Month) 19 61

08-12. MOORED AS BEFORE. 1040 MADE DAILY INSPECTION OF MAGAZINE AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL.

D. L. Kelahan
ENS USNR.

12-16. MOORED AS BEFORE.

D. L. Kelahan
ENS USNR

16-20. MOORED AS BEFORE.

D. L. Kelahan
ENS USNR

20-24. MOORED AS BEFORE.

D. L. Kelahan
ENS USNR

APPROVED: L Hawkins U.S.N. COMMANDING

EXAMINED: A A Faria LT U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE FRIDAY (Day) 24 (Date) NOVEMBER (Month), 19 61

AT/PASSAGE FROM CHARLESTON, SOUTH CAROLINA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	220	5	8	OVC	29.88	61	58	10	1600	NS	0	0	0
02	220	5	8	OVC	29.86	60	56	10	1600	NS	0	0	0
03	290	5	8	BKN	29.88	58	55	9	4500	CU	0	0	0
04	135	6	10	BKN	29.90	58	55	9	4500	CU	0	0	0
05	135	3	10	SCT	29.94	57	54	5	4500	CU	0	0	0
06	135	5	10	SCT	29.96	57	54	4	4500	CU	0	0	0
07	135	8	10	CLR	30.00	57	54	0	0	0	0	0	0
08	135	8	10	CLR	30.02	59	54	0	0	0	0	0	0
09	135	8	10	CLR	30.06	60	54	0	0	0	0	0	0
10	135	8	10	CLR	30.08	62	56	0	0	0	0	0	0
11	135	6	10	CLR	30.08	63	56	0	0	0	0	0	0
12	300	6	12	CLR	30.07	64	57	0	0	0	0	0	0
13	330	8	10	CLR	30.09	65	57	0	0	0	0	0	0
14	330	10	10	CLR	30.10	66	57	0	0	0	0	0	0
15	330	15	10	CLR	30.12	68	61	0	0	0	0	0	0
16	330	15	10	CLR	30.14	66	59	0	0	0	0	0	0
17	330	7	7	CLR	30.16	65	60	0	0	0	0	0	0
18	330	7	7	CLR	30.18	64	57	0	0	0	0	0	0
19	330	9	7	CLR	30.20	62	55	0	0	0	0	0	0
20	330	9	7	CLR	30.22	60	54	0	0	0	0	0	0
21	330	9	7	CLR	30.20	60	54	0	0	0	0	0	0
22	330	9	7	CLR	30.22	60	54	0	0	0	0	0	0
23	330	9	7	CLR	30.24	66	55	0	0	0	0	0	0
24	320	4	7	CLR	30.24	60	54	0	0	0	0	0	0

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: D

FUEL CONSUMED 0000-2400: 360

REMARKS

AT U.S. NAVAL BASE, CHARLESTON, S. CAROLINA, DK

00-04. MOORED PORT SIDE TO PIER SIERRA BERTH THREE WITH STANDARD MOORING LINES DOUBLED. SHIP IS IN CONDITION OF READINESS V WITH MATERIAL CONDITION YOKE SET. RECEIVING MISCELLANEOUS SERVICES FROM PIER. MISCELLANEOUS MACHINERY IS ON THE LINE. OTHER SHIPS IN THE AREA INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS VARIOUS YARD AND DISTRICT CRAFT. SOPA IS COMINLANT AT U.S. NAVAL BASE.

D. R. Kelaher
ENS USNR

04-08. MOORED AS BEFORE. 0750 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

D. R. Kelaher
ENS USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: G. A. Fiore, Jr. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) FRIDAY (Day) 24 (Date) NOVEMBER (Month) 19 61

08-12. MOORED AS BEFORE. 1015 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL. MADE WEEKLY TEST OF MAGAZINE SPRINKLING AND FLOODING SYSTEM; CONDITIONS SATISFACTORY.

R R Miller
ENS. USNR

12-16. MOORED AS BEFORE.

R R Miller
ENS. USNR

16-20. MOORED AS BEFORE.

R R Miller
ENS. USNR

20-24. MOORED AS BEFORE.

R R Miller
ENS. USNR

APPROVED: L L Hawkins U.S.N. COMMANDING

EXAMINED: C A Troie, LT U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-319) ZONE DESCRIPTION +5 DATE SATURDAY 25 NOVEMBER 19 61
(Day) (Date) (Month)

AT/PASSAGE FROM CHARLESTON, SOUTH CAROLINA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	320	5	8	CLR	30.28	55	48	0	0	0	0	0	0
02	320	5	8	CLR	30.28	55	48	0	0	0	0	0	0
03	320	6	8	CLR	30.31	52	45	0	0	0	0	0	0
04	320	4	9	CLR	30.32	50	45	0	0	0	0	0	0
05	350	7	9	CLR	30.33	47	43	0	0	0	0	0	0
06	350	9	9	CLR	30.36	47	43	0	0	0	0	0	0
07	320	10	10	CLR	30.39	46	41	0	0	0	0	0	0
08	070	10	10	CLR	30.41	48	42	0	0	0	0	0	0
09	010	8	10	CLR	30.43	50	44	0	0	0	0	0	0
10	060	7	10	CLR	30.44	53	48	0	0	0	0	0	0
11	020	5	10	CLR	30.43	55	50	0	0	0	0	0	0
12	070	3	10	CLR	30.42	58	52	0	0	0	0	0	0
13	020	4	10	SCT	30.42	60	56	1	20,000	CI	0	0	0
14	090	3	10	SCT	30.41	59	55	1	20,000	CI	0	0	0
15	010	4	10	SCT	30.43	58	53	2	20,000	CI	0	0	0
16	010	4	10	SCT	30.43	60	54	2	20,000	CI	0	0	0
17	010	5	10	SCT	30.43	59	54	2	20,000	CI	0	0	0
18	010	4	10	SCT	30.42	56	5	2	20,000	CI	0	0	0
19	010	3	10	SCT	30.42	54	50	1	20,000	CI	0	0	0
20	015	3	9	CLR	30.41	52	48	0	0	0	0	0	0
21	015	4	8	CLR	30.43	50	47	0	0	0	0	0	0
22	020	5	8	CLR	30.43	49	45	0	0	0	0	0	0
23	020	6	8	CLR	30.44	49	45	0	0	0	0	0	0
24	020	7	8	CLR	30.44	49	45	0	0	0	0	0	0

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 250

REMARKS

00-04. MOORED PORTSIDE TO PIER SIERRA BERTH THREE AT U.S. NAVAL BASE, CHARLESTON, SOUTH CAROLINA, WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORE AND AFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS V WITH MATERIAL CONDITION YOKE SET. SOPA IS COMINLANT AT U.S. NAVAL BASE. SHIPS PRESENT INCLUDE VARIOUS UNITS OF CANADIAN AND U.S. ATLANTIC FLEETS PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT.

R.R. Miller
ENS. USNR

04-08. MOORED AS BEFORE. 0750 MUSTERED THE CREW ON STATION. ABSENTEES: NONE

R.R. Miller
ENS. USNR

APPROVED: D. Watkins U.S.N. COMMANDING

EXAMINED: A.A. Faire, LT. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) SATURDAY 25 NOV 61
(Day) (Date) (Month) 19

08-12 MOORED AS BEFORE 0914 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES, CONDITION NORMAL.

W B Dieth Ens USNR.

12-16 MOORED AS BEFORE.

W B Dieth Ens USNR

16-24 MOORED AS BEFORE

W B Dieth Ens USNR

24-24 MOORED AS BEFORE

W B Dieth Ens USNR

APPROVED:

L P Hawkins U.S.N. COMMANDING

EXAMINED:

A A Fors U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO 5 6) ZONE DESCRIPTION +5 DATE SUNDAY (Day) 26 (Date) NOVEMBER (Month) 19 61

AT/PASSAGE FROM CHARLESTON S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	020	6	10	CLR	30.42	48	45	0	0	0	0	0	0
02	020	4	10	CLR	30.42	46	42	0	0	0	0	0	0
03	020	5	10	CLR	30.43	46	42	0	0	0	0	0	0
04	320	4	10	CLR	30.41	45	42	0	0	0	0	0	0
05	320	3	10	CLR	30.42	43	40	0	0	0	0	0	0
06	320	3	7	CLR	30.42	43	40	0	0	0	0	0	0
07	320	4	5	CLR	30.42	44	40	0	0	0	0	0	0
08	040	5	9	SCT	30.42	49	45	2	1600	CU	0	0	0
09	040	4	10	CLR	30.43	51	47	0	0	0	0	0	0
10	040	1	10	CLR	30.43	54	50	0	0	0	0	0	0
11	040	2	10	SCT	30.43	58	53	3	20,000	CI	0	0	0
12	0	0	10	SCT	30.40	60	55	2	20,000	CI	0	0	0
13	0	0	10	SCT	30.36	63	58	4	20,000	CI	0	0	0
14	0	0	10	SCT	30.34	64	60	4	20,000	CI	0	0	0
15	0	0	10	SCT	30.34	64	60	4	20,000	CI	0	0	0
16	245	1	10	BKN	30.33	63	59	8	20,000	CI	0	0	0
17	145	4	9	BKN	30.31	60	57	6	20,000	CI	0	0	0
18	0	0	8	CLR	30.29	60	57	0	0	0	0	0	0
19	160	3	8	CLR	30.29	60	57	0	0	0	0	0	0
20	200	2	8	CLR	30.28	59	55	0	0	0	0	0	0
21	0	0	8	SCT	30.28	59	55	6	4500	AC	0	0	0
22	0	0	8	SCT	30.28	56	53	3	4500	AC	0	0	0
23	0	0	8	SCT	30.27	56	53	6	4500	AC	0	0	0
24	0	0	8	SCT	30.27	56	53	2	4500	AC	0	0	0

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 0

FUEL CONSUMED 0000–2400: 50

REMARKS

0000-04 MOORED PORTSIDE TO PIER SIERRA BERTH TAKEN AT US NAVAL BASE, CHARLESTON S.C. WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORE AND AFT TO THE PIER. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS I WITH MATERIAL CONDITION YOKE SET. SOPA IS COMINLANT AT US NAVAL BASE. SHIPS PRESENT INCLUDE VARIOUS UNITS OF CANADIAN AND U.S. ATLANTIC FLEETS PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT.

W.A. Friedl Ens USNR.

0400-08 MOORED AS BEFORE. 0754 MUSTERED THE CREW ON STATION, ABSENTEES NONE.

W.A. Friedl Ens USNR

APPROVED: U.S.N. COMMANDING

EXAMINED: U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) SUNDAY 2C NOV (Day) (Date) (Month), 19 61

OP-12 MOORED AS BEFORE. MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES, CONDITION NORMAL.

W B Wiedl Ens USNR

12-16 MOORED AS BEFORE.

W B Wiedl Ens USNR

16-24 MOORED AS BEFORE.

W B Wiedl Ens USNR

24-24 MOORED AS BEFORE.

W B Wiedl Ens USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: A.G. Fore, LT U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5 DATE MONDAY (Day) 22 (Date) NOVEMBER (Month), 19 61

AT/PASSAGE FROM CHARLESTON S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	0	0	9	SCT	30.24	58	54	2	4500	AC	0	0	0
02	200	4	9	SCT	30.23	58	54	2	4500	AC	0	0	0
03	200	3	9	SCT	30.21	58	54	5	4500	AC	0	0	0
04	240	4	8	BKN	30.21	58	54	9	1600	CU	0	0	0
05	240	1	8	BKN	30.20	57	53	9	1600	CU	0	0	0
06	240	1	8	OVC	30.20	56	52	10	1600	NS-CU	0	0	0
07	240	2	8	OVC	30.18	58	54	10	1600	NS/CU	0	0	0
08	240	2	8	BKN	30.16	58	54	9	1600	AC/CI	0	0	0
09	240	2	9	BKN	30.16	62	57	9	1600	AC/CI	0	0	0
10	240	2	9	BKN	30.14	65	60	9	1600	AC/CI	0	0	0
11	240	2	8	BKN	30.12	70	64	9	1600	AC/CI	0	0	0
12	240	7	8	SCT	30.09	74	69	5	1600	CU	0	0	0
13	240	5	8	SCT	30.06	78	73	4	1600	CU	0	0	0
14	240	12	8	BKN	30.02	72	66	9	4500	AC	0	0	0
15	250	7	8	BKN	30.00	69	63	8	4500	AC	0	0	0
16	250	7	7	BKN	29.98	67	63	7	4500	AC	0	0	0
17	235	5	8	BKN	29.97	66	63	9	4500	AC/CU	0	0	0
18	235	6	8	BKN	29.99	65	61	9	4500	AC/CU	0	0	0
19	235	2	8	BKN	30.01	66	61	9	4500	AC/CU	0	0	0
20	235	3	8	BKN	30.00	66	61	9	4500	AC/CU	0	0	0
21	235	2	8	BKN	30.00	63	60	9	4500	AC/CU	0	0	0
22	235	9	8	BKN	30.00	63	60	9	4500	AC/CU	0	0	0
23	240	4	9	CLR	30.00	63	59	0	0	0	0	0	0
24	240	5	9	CLR	30.00	63	59	0	0	0	0	0	0

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
40

REMARKS

0-4 MOORED PORTSIDE TO PIER SIERRA BERTH THREE AT U.S. NAVAL BASE, CHARLESTON, S.C. WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORE AND AFT TO THE PIER. SOPA IS COMMANDANT AT US NAVAL BASE. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF CNAVPHIL AND US ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. SHIP IS IN CONDITION OF READINESS II WITH MATERIAL CONDITION YOKE SET.

W.B. Dent Ens USNR

4-8 MOORED AS BEFORE 0750 MUSTERED THE CREW ~~#~~ AT QUARTERS. ~~NONE~~ ABSENTEES, NONE

W.B. Dent Ens USNR

APPROVED: S.F. Hawkins U.S.N. COMMANDING

EXAMINED: A.C. Fair, Jr. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) MONDAY (Day) 27 (Date) NOVEMBER (Month) 19 61

Ø8-12 MOORED AS BEFORE. 1ØØØ MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL. 1145 USS ALACRITY (MSO 52Ø) MOORED OUTBOARD TO STARBOARD.

LTJG USN

12-16 MOORED AS BEFORE. 135Ø LT. D.H. GRIFFIN DETACHED FROM THIS COMMAND IN ACCORDANCE WITH BUPERS ORDERS

LTJG USN

16-2Ø MOORED AS BEFORE.

LTJG USN

2Ø-24 MOORED AS BEFORE

LTJG USN

APPROVED: U.S.N. COMMANDING

EXAMINED: U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE TUE (Day) 28 (Date) NOV (Month), 19 61

AT/~~PASSAGE~~ FROM CHARLESTON, S. C. ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	240	7	9	CLR	30.00	62	57	0	0	0	0	0	0
02	240	7	9	CLR	30.01	60	55	0	0	0	0	0	0
03	240	10	9	CLR	30.02	58	54	0	0	0	0	0	0
04	240	3	9	CLR	30.02	57	52	0	0	0	0	0	0
05	240	5	9	CLR	30.03	55	50	0	0	0	0	0	0
06	240	7	9	CLR	30.05	54	49	0	0	0	0	0	0
07	250	10	9	CLR	30.05	52	48	0	0	0	0	0	0
08	260	7	10	CLR	30.07	55	50	0	0	0	0	0	0
09	290	6	10	SCT	30.07	57	48	5	1600	CU/CI	0	0	0
10	280	6	10	OVC	30.09	55	48	9	1600	CU/ST	0	0	0
11	290	8	10	OVC	30.09	59	48	10	1600	CU/ST	0	0	0
12	340	8	10	OVC	30.08	54	48	10	4500	ST	0	0	0
13	010	8	10	OVC	30.06	54	46	10	4500	ST	0	0	0
14	010	8	10	OVC	30.04	52	46	10	4500	ST	0	0	0
15	010	10	9	OVC	30.04	52	46	10	4500	ST	0	0	0
16	010	8	9	OVC	30.04	52	46	10	4500	ST	0	0	0
17	010	8	9	OVC	30.04	52	46	10	4500	ST	0	0	0
18	010	10	9	OVC	30.06	51	47	10	4500	ST	0	0	0
19	060	8	9	OVC	30.06	51	47	10	4500	ST	0	0	0
20	060	5	9	SCT	30.09	50	46	6	4500	ST/CI	0	0	0
21	100	6	10	BKN	30.09	50	45	8	4500	ST/CI	0	0	0
22	110	6	10	SCT	30.10	49	45	4	20000	CI	0	0	0
23	180	2	8	CLR	30.09	45	43	0	0	0	0	0	0
24	210	4	10	CLR	30.09	45	41	0	0	0	0	0	0

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 60

REMARKS

ØØ-Ø4 MOORED PORT SIDE TO PIER 5 AT BERTH 3 AT U.S. NAVAL BASE, CHARLESTON, S.C. WITH STANDARD MOORING LINES DOUBLED. AND WIRE PREVENTERS OUT FORE AND AFT TO THE PIER. MOORED IN A NEST OF TWO SHIPS WITH USS ALACRITY (MSO 520) MOORED OUTBOARD TO STARBOARD. SOPA IS COMINLANT AT U.S. NAVAL BASE. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. SHIP IS IN CONDITION OF READINESS I WITH MATERIAL CONDITION YOKE SET.

D. R. Boyer
LTJG USN

Ø4-Ø8 MOORED AS BEFORE. Ø75Ø MUSTERED THE CREW AT QUARTERS ABSENTEES: NONE.

D. R. Boyer
LTJG USN

APPROVED: L. L. Hawkins U.S.N. COMMANDING

EXAMINED: U. A. Faire, II U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) TUE (Day) 28 (Date) NOV (Month), 19 61

OP-12 MOORED AS BEFORE, 0/4 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES, CONDITION NORMAL

W B Friedl Ens USNR

12-16 MOORED AS BEFORE

W B Friedl Ens USNR

16-20 MOORED AS BEFORE

W B Friedl Ens USNR

20-24 MOORED AS BEFORE

W B Friedl Ens USNR

APPROVED: D Hawkins U.S.N. COMMANDING

EXAMINED: A.A. Fore, II U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION 7.5 DATE WED (Day) 29 (Date) NOV (Month), 19 61

AT/~~PASSAGE FROM~~ CHARLESTON, S.C. ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	180	3	9	CLR	30.07	43	40	0	0	0	0	0	0
02	110	5	9	CLR	30.08	41	38	0	0	0	0	0	0
03	050	8	9	CLR	30.09	41	38	0	0	0	0	0	0
04	040	9	9	CLR	30.08	40	37	0	0	0	0	0	0
05	050	9	9	CLR	30.10	39	36	0	0	0	0	0	0
06	040	10	9	CLR	30.10	37	35	0	0	0	0	0	0
07	040	10	9	CLR	30.12	36	34	0	0	0	0	0	0
08	090	10	10	CLR	30.18	38	36	0	0	0	0	0	0
09	110	8	10	CLR	30.20	42	39	0	0	0	0	0	0
10	130	8	10	CLR	30.20	46	42	0	0	0	0	0	0
11	130	10	10	CLR	30.20	45	43	0	0	0	0	0	0
12	130	12	9	CLR	30.19	48	44	0	0	0	0	0	0
13	130	12	9	CLR	30.16	50	46	0	0	0	0	0	0
14	130	10	9	CLR	30.16	50	46	0	0	0	0	0	0
15	130	10	9	CLR	30.15	51	48	0	0	0	0	0	0
16	130	12	9	CLR	30.16	51	48	0	0	0	0	0	0
17	160	12	9	CLR	30.17	50	46	0	0	0	0	0	0
18	180	10	9	CLR	30.18	50	46	0	0	0	0	0	0
19	180	6	9	CLR	30.20	49	46	0	0	0	0	0	0
20	160	6	9	CLR	30.21	49	45	0	0	0	0	0	0
21	150	8	9	CLR	30.23	47	45	0	0	0	0	0	0
22	150	6	9	CLR	30.25	45	43	0	0	0	0	0	0
23	150	6	9	CLR	30.27	44	41	0	0	0	0	0	0
24	150	4	9	CLR	30.28	44	41	0	0	0	0	0	0

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 50

REMARKS

0000-0400 MOORED PORT SIDE TO PIER "5" AT BERTH "3", US NAVAL BASE, CHARLESTON, S.C. WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORE AND AFT TO THE PIER. MOORED IN A NEST OF TWO SHIPS WITH THE USS ALACRITY (MSO-520) MOORED OUTBOARD TO STARBOARD. SOPA IS COMINCLANT AT US NAVAL BASE. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. SHIP IS IN CONDITION OF READINESS. II WITH MATERIAL CONDITION YOKE SET.

W. J. Dodd Ens USNR

0400-0800 MOORED AS BEFORE. 0715 MUSTERED THE CREW AT QUARTERS, ABSENTEES: NONE.

W. J. Dodd

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: A. A. Faro, II U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) WEDNESDAY 29 NOV. 19 61
(Day) (Date) (Month)

08-12 MOORED AS BEFORE. 0901 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES, CONDITIONS NORMAL.

G.A. Fiore
LT USN

12-16 MOORED AS BEFORE.

G.A. Fiore
LT USN

16-20 MOORED AS BEFORE.

G.A Fiore
LT USN

20-24 MOORED AS BEFORE.

G.A. Fiore
LT USN

APPROVED: L.L. Hawkins U.S.N. COMMANDING

EXAMINED: A.A. Fiore, LT U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ALACRITY (MSO 519) ZONE DESCRIPTION +5 DATE THURSDAY (Day) 30 (Date) NOV. (Month), 19 61

AT/PASSAGE FROM CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	150	4	9	CLR	30.29	42	40	0	0	0	0	0	0
02	150	4	9	CLR	30.29	41	38	0	0	0	0	0	0
03	150	4	9	CLR	30.30	42	39	0	0	0	0	0	0
04	150	6	9	CLR	30.32	41	39	0	0	0	0	0	0
05	150	4	9	CLR	30.34	41	39	0	0	0	0	0	0
06	150	2	9	CLR	30.36	39	37	0	0	0	0	0	0
07	110	3	10	CLR	30.38	39	37	0	0	0	0	0	0
08	110	4	10	CLR	30.40	43	38	0	0	0	0	0	0
09	100	6	10	CLR	30.42	48	40	0	0	0	0	0	0
10	090	6	10	CLR	30.42	50	44	0	0	0	0	0	0
11	040	4	10	CLR	30.41	54	48	0	0	0	0	0	0
12	040	4	10	CLR	30.40	55	49	0	0	0	0	0	0
13	040	5	10	CLR	30.40	56	50	0	0	0	0	0	0
14	050	5	10	CLR	30.40	55	51	0	0	0	0	0	0
15	090	4	10	CLR	30.40	56	53	0	0	0	0	0	0
16	140	4	10	CLR	30.39	56	53	0	0	0	0	0	0
17	150	3	10	CLR	30.41	55	53	0	0	0	0	0	0
18	150	2	10	CLR	30.41	55	51	0	0	0	0	0	0
19	150	6	10	CLR	30.42	53	51	0	0	0	0	0	0
20	170	4	10	CLR	30.42	50	48	0	0	0	0	0	0
21	200	2	10	CLR	30.43	49	46	0	0	0	0	0	0
22	0	0	10	CLR	30.42	48	46	0	0	0	0	0	0
23	0	0	10	CLR	30.43	47	45	0	0	0	0	0	0
24	0	0	10	CLR	30.42	46	45	0	0	0	0	0	0

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 50

REMARKS

ØØ-Ø4 MOORED PORT SIDE TO PIER "5", BERTH # 3, U.S. NAVAL BASE, CHARLESTON, S.C. WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORE AND AFT TO THE PIER. MOORED IN A NEST OF TWO SHIPS WITH USS ALACRITY (MSO-52Ø) MOORED OUTBOARD TO STARBOARD. SOPA IS COMINLANT AT U.S. NAVAL BASE. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET, YARD AND DISTRICT CRAFT. SHIP IS IN CONDITION OF READINESS V WITH MATERIAL CONDITION YOKE SET.

A.A. Fiore
LT USN

Ø4-ØB MOORED AS BEFORE. Ø15Ø MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

A.A. Fiore LT USN

APPROVED: U.S.N. COMMANDING

EXAMINED: A.A. Fiore, LT U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) THURSDAY (Day) 30 (Date) NOVEMBER (Month) 19 61

Ø8-12 MOORED AS BEFORE. Ø837 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL.

LTJG. USN

12-16 MOORED AS BEFORE.

LTJG USN

16-2Ø MOORED AS BEFORE

LTJG USN

2Ø-24 MOORED AS BEFORE

LTJG USN

APPROVED: U.S.N. COMMANDING

EXAMINED: LT U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6